




MARINE



LucasOil.com • (800) 342-2512



MARINE

ENGINE OIL



EXTREME DUTY MARINE ENGINE OIL

- Excellent for use with supercharged, turbo charged or nitrous oxide high performance engine
- Safely blends and is compatible with synthetic and non-synthetic oils
- Petroleum and semi-synthetic SAE 20W-50 grades
- Contains effective anti-wear agents, detergents, Lucas unique additive chemistry and friction modifiers to provide the ultimate performance
- Proven performance in marine applications
- Compatible with methanol and all racing fuels
- Zinc and phosphorous chemistry provides excellent boundary lubrication at start up
- Conventional grade is factory fill for ILMOR high performance engines

SAE 20W-50	
1 Quart	10653
5 Quart	10810
5 Gal Pail	10665
55 Gal Drum	10666
Semi-Synthetic SAE 20W-50	
1 Quart	10654
5 Quart	10667
5 Gal Pail	10668
55 Gal Drum	10811



OUTBOARD MARINE ENGINE OIL

- Excellent for use with supercharged, turbo charged or nitrous oxide high performance engines
- Protects against rust and moisture during long periods of storage
- Safely blends and is compatible with synthetic and non-synthetic oils
- Provides rust and corrosion protection in both fresh water and salt water environments
- Effective water resistance
- Resist extreme pressure
- Extreme friction reducer
- Contains a special additive package to improve wear protection and increase catalyst life in newer outboards using catalytic converters
- NMMA® Certified to meet or exceed FC-W (CAT) performance
- Meets JASO MA standards for air-cooled motorcycles and all-terrain vehicles
- Meets industry standard API SM (automotive)

SYN SAE 10W-30	
1 Quart	10661
5 Quart	10812
SYN SAE 10W-40	
1 Quart	10662
5 Quart	10813



4-STROKE SAE 25W-40 MARINE ENGINE OIL

- Designed to improve wear protection
- Increase catalyst life in newer inboards using catalytic converters
- Fortified with special synthetic additives that coat moving parts

SAE 25W-40	
1 Quart	10677
5 Quart	10814
5 Gal Pail	10693
55 Gal Drum	10666

MARINE



HEAVY DUTY MARINE DIESEL ENGINE CJ-4 OILS

- Resists oxidation and thermal breakdown
- Provides increased lubricity and lower oil temperature
- Reduces engine noise
- Increases oil pressure
- Reduces soot levels
- Suitable for use in gasoline and diesel powered engines

SAE 15W-40 CJ-4	
1 Gallon	10991
SYN SAE 15W-40 CJ-4	
1 Gallon	10992

2-CYCLE OILS



MARINE 2-CYCLE OIL TC-W3[®] SYNTHETIC BLEND

- Minimizes spark plug fouling
- Fortified with unique Lucas additives
- Specifically formulated for water cooled 2-cycle outboards and personal watercraft

U.S. Measure	Product Number
1 Quart	10860
1 Gallon	10861
55 Gal Drum	10863



SEMI-SYNTHETIC TC-W3[®] 2-CYCLE LAND & SEA OIL

- Surpasses Mercury, Evinrude and Johnson Motors requirements
- Expect longer ring life, less fuel consumption and no filter clogging
- Excellent rust protection
- Prevents piston and cylinder scuffing
- Meets or exceeds industry performance requirements

U.S. Measure	Product Number
1 Quart	10467
1 Gallon	10557
5 Gal Pail	10469
55 Gal Drum	10470



MARINE

TRANSMISSION PRODUCTS



SYNTHETIC MARINE ATF TYPE FA

- Pure synthetic
- Contains special anti-foaming agents
- High performance, high torque, non-electronic shift transmissions
- Ensures firm shifting which improves performance and prolongs clutch-life
- An easy flowing fluid with superior heat transfer capabilities
- Expect excellent performance cold or hot
- A stable long life fluid - perfect for irregular maintenance
- Safely blends with other synthetic & non-synthetic fluids

U.S. Measure	Product Number
1 Quart	10651

GEAR OILS



SYNTHETIC M8 MARINE GEAR OIL SAE 75W-90

- Effective water resistance
- Resist extreme pressure
- Long lasting
- Extreme friction reducer
- Fortified with anti-foaming agents to prevent cavitation at high RPM's
- Safely blends with all other known gear oils and additives
- Protects against rust and moisture during long periods of storage
- Provides rust and corrosion protection in both fresh water and salt water environments

U.S. Measure	Product Number
1 Quart	10652
5 Gal Pail	10664



HEAVY DUTY GEAR OILS

- Cools and quiets
- Contains special anti-wear and lubricity agents
- Helps to control heat
- Excellent for high performance and heavy-duty applications

SAE 80W-90	
1 Quart	10043
1 Gallon	10046
5 Gal Pail	10066
16 Gal Keg	10067
55 Gal Drum	10069
330 Gal Tote	10511
SAE 85W-140	
1 Quart	10042
1 Gallon	10045
5 Gal Pail	10061
16 Gal Keg	10062
55 Gal Drum	10064
330 Gal Tote	10313

ENGINE OIL ADDITIVES



HEAVY DUTY OIL STABILIZER

- Increases oil life at least 50% longer
- Reduces oil consumption
- Eliminates dry starts
- Raises oil pressure
- Increases power and miles per gallon

U.S. Measure	Product Number
1 Quart	10001
1 Gallon	10002
5 Gal Pail	10015
16 Gal Keg	10085
55 Gal Drum	10091
330 Gal Tote	10398



PURE SYNTHETIC OIL STABILIZER

- Increases oil life at least 50% longer
- Reduces oil consumption
- Eliminates dry starts
- Raises oil pressure
- Increases power and miles per gallon

U.S. Measure	Product Number
1 Quart	10130
1 Gallon	10131
5 Gal Pail	10132
16 Gal Keg	10133
55 Gal Drum	10134
330 Gal Tote	11133



ENGINE OIL STOP LEAK

- Compatible with petroleum, semi-synthetic and full synthetic motor oils
- Renews worn seals with no risk of damage or eventual corrosion
- Reduces engine noise and oil consumption, while raising oil pressure
- Contains no harmful solvents

U.S. Measure	Product Number
1 Quart	10278
1 Gallon	10279
330 Gal Tote	11134



MARINE

FUEL TREATMENTS



MARINE FUEL TREATMENT

- Designed specifically for water craft engines and fuel systems
- Fights corrosion
- Keeps fuel lines, carburetors and fuel injectors clean and free of deposits
- Improves internal engine parts

U.S. Measure	Product Number
5.25 oz	10151
1 Quart	10981
1 Gallon	10177



FUEL STABILIZER

- A better solution to prevent gasoline break-down during storage
- Safe to use in all grades of gasoline and in all 2 and 4 cycle engines
- Easy to use! Application rate, 1oz. to treat 1 gallon

U.S. Measure	Product Number
15 oz	10302
8 oz	10314
1 Quart	10303
5 Gal Pail	10324
55 Gal Drum	10326



SAFEGUARD™ ETHANOL FUEL CONDITIONER WITH STABILIZERS

- Cleans injectors, valve seats, combustion chambers and other critical fuel components
- Stabilizes fuel and prevents varnish & gum formation in ethanol and gasoline
- Combats deposits and protects your engine oil lubricants from the harmful effects of alcohol combustion

U.S. Measure	Product Number
2 oz	10929
5.25 oz	10670
16 oz	10576

GREASES

MARINE GREASE



- Typical weld point of 620 Kg the minimum industry standard is 200 Kg
- Timken load 80 lbs
- Dropping point 540 lbs
- Provides rust and corrosion protection in both fresh water and salt water environments
- Effective water resistance
- Long lasting
- Resist extreme pressure
- Extreme friction reducer
- NLGI GC-LB Certified #2

U.S. Measure	Product Number
10 Pk - 3 oz	10682
30 Pk - 14 oz	10320-30
35 Lb Pail	10321
120 Lb Keg	10322
400 Lb Drum	10660



RED "N" TACKY GREASE

- Rust and oxidation inhibitors
- Water resistant
- Excellent mechanical stability
- Long storage life
- Agricultural, automotive and industrial applications
- Cold pumping temperature: -27 C or -17 F
- NLGI GC-LB Certified #2

U.S. Measure	Product Number
30 Pk - 14 oz	10005-30
60 Pk - 14 oz	10005-60
10 Pk - 3 oz	10318
1 lb Tub	10574
35 Lb Pail	10027
120 lb Keg	10028
400 lb Drum	10029



MULTI-PURPOSE GREASE COMBO PACKS

- Rust and oxidation inhibitors
- Water resistant
- Excellent mechanical stability
- Long storage life
- Agricultural, automotive, industrial and marine applications
- NLGI GC-LB Certified #2

X-tra HD/Red 'N' Tacky	
10 Pk - 3 oz	10315
X-tra HD/Red 'N' Tacky/Marine	
10 Pk - 3 oz	11048



MARINE

APPEARANCE PRODUCTS



SLICK MIST® MARINE SPEED WAX

- Great for any gel coat or painted surface
- Use on wet or dry surfaces
- Provides UV protection
- Can be used in direct sunshine
- Helps keep mud, bugs, and tar from sticking to your boat
- Great at removing hard water deposits
- Ideal in saltwater and freshwater applications

U.S. Measure	Product Number
24 oz	10980



SLICK MIST® INTERIOR DETAILER

- Restores interior
- Long lasting
- Non-oily formula
- Sling resistant
- UV resistant / protection
- Ease of application
- Over spray not a problem
- Water based
- pH Neutral (7-8)
- Quick and easy
- Great for cars, trucks, boats, and airplanes
- Shines and protects in one easy application

U.S. Measure	Product Number
24 oz	10514



SLICK MIST® TIRE & TRIM SHINE

- Water based
- Quick and easy
- Long lasting
- Sling resistant
- UV resistant
- Prevents side-wall blowout
- Great for cars, trucks, boats, and airplanes
- Shines and protects in one easy application
- Over spray not a problem

U.S. Measure	Product Number
24 oz	10513
2 oz	10104



SLICK MIST® DETAILING KIT

Slick Mist® Detailing Kit contains:

- 1- 24 oz Speed Wax
- 1- 24 oz Interior Detailer
- 1- 24 oz Tire & Trim Shine
- 1- 16"x16" Microfiber Towel
- 1- No Mess Applicator

U.S. Measure	Product Number
Combo Pack	10558



METAL POLISH

- Polishes and cleans all metals (aluminum, chrome, magnesium, stainless steel, silver, brass, gold)
- Easy to use and safe for all metals
- No acids or ammonia

U.S. Measure	Product Number
16 oz	10155

OUTDOOR PRODUCTS



FISHING REEL OIL

- Lubricates
- Penetrating
- Excellent rust protection
- Prevents corrosion
- Long lasting
- Meets or exceeds industry performance requirements

U.S. Measure	Product Number
1 oz	10690



HUNTING GUN OIL - THE ORIGINAL

- Odorless, a must for hunting firearms
- Great for use on compound bows
- An excellent general purpose household lubricant
- Superior to any competitors' oil products, at a lower cost
- Made in U.S.A.

U.S. Measure	Product Number
2 oz	10006
5 Gal Pail	10010
55 Gal Drum	10560



MARINE



EXTREME DUTY GUN OIL

- Designed for weapons that experience high volume, full auto, and suppressed fire
- Protects metal parts from rust, wear and moisture during extreme conditions
- Provides maximum heat resistance
- Superior blow back resistance, keeping oil out of your face and off your glasses

U.S. Measure	Product Number
1 oz	10875
4 oz	10877
8 oz	10870
1 Gallon	10876
5 Gal Pail	10901
55 Gal Drum	10890



EXTREME DUTY CLP

- Cleans and protects your firearms in one easy step
- Penetrates deep into rusted firearms, freeing stuck parts and aids in cleaning
- Provides long-lasting protection from rust
- Great for general shop and home use too
- Available in liquid and aerosol formula
- Made in U.S.A.

U.S. Measure	Product Number
4 oz	10915
11 oz net	10916



EXTREME DUTY GUN GREASE

- Smooth tacky consistency stays where you apply it
- Excellent rust protection
- Long lasting all-weather lubrication, prevents saltwater corrosion
- Temperature range -20 to 540 °F
- Timken Load – 80 lbs. (over twice the minimum industry standard)
- Weld Point – 620 Kg (over 3x the minimum industry standard)
- Made in U.S.A.

U.S. Measure	Product Number
1 oz	10889



GUN METAL POLISH & TUMBLER MEDIA ADDITIVE

- Safe for use on all metals
- Cleans, polishes and protects factory firearm finishes and bores
- An excellent additive media
- Reduces tumbling time and improves results
- Made in U.S.A.

U.S. Measure	Product Number
4 oz	10878
16 oz	10880



EXTREME DUTY BORE SOLVENT & ULTRASONIC CLEANER

- Cleans and protects your firearms, provides excellent rust protection
- Low odor, pleasant grape scent, contains no ammonia, kerosene or water
- Great for use in ultrasonic cleaners, solvent based formula requires no mixing, rinsing or oil dip after ultrasonic use, saving time and money
- Ideal in heated units, Flash Point of 210° F is much safer than other products
- Made in U.S.A.

U.S. Measure	Product Number
4 oz	10907
16 oz	10918
64 oz	10909
5 Gal Pail	10114



EXTREME DUTY GUN CLEANER

- Superior cleaning and drying formula
- Non-chlorinated and CFC free
- Removes dirt, moisture and firing debris
- Made in U.S.A.

U.S. Measure	Product Number
11 oz net	10905

APPLICATOR BOTTLE



- Convenient bottle for the tool box, range bag and tackle box
- Leak-free
- Needle applicator allows precise application
- Holds 1 oz
- Made in U.S.A.

U.S. Measure	Product Number
1 oz	10879



(800) 342-2512

LucasOil.com