

V-TWIN FORK OIL

HIGH PERFORMANCE FORK OIL

DESCRIPTION:

Mineral based fork oil designed specifically for use with H-D® Fork Systems. Shear stable, high viscosity index formulation maintains film strength and reduces wear. Advanced, Lubricinol-fortified additive system minimizes stiction and reduces running friction while minimizing foaming and air entrainment. Ultra clean formulation eliminates corrosion, conditions seals and extends equipment life.

FEATURES & BENEFITS:

- Developed and tested in H-D® Fork Systems
- Lubricinol-fortified formulation reduces overall friction and decreases stiction
- Shear stable, high viscosity index formula maintains film strength and reduces wear
- Maintains optimal damping performance by minimizing foaming and air entrainment
- Keeps internals clean while eliminating corrosion and conditioning seals

APPLICATIONS:

For all cartridge and standard-type forks.

Specifically developed for H-D[®] Fork Systems.

Maxima V-Twin Fork Oil	H-D Equivalent	
Maxima 10WT	H-D Type E	
Maxima 20WT	Screamin' Eagle Heavy	

TECHNICAL DATA				
SPECIFICATION	TEST METHOD	10WT	20WT	
APPEARANCE	VISUAL	Amber	Amber	
VISCOSITY @ 40°C (cSt)	D445	37.4	71.6	
VISCOSITY @ 100°C (cSt)	D445	7.7	11.3	
VISCOSITY INDEX	D2270	182	151	
FLASH POINT (°C)	D92	191	210	
POUR POINT (°C)	D97	-27	-24	
DENSITY @ 15 °C (g/ml)	D4052	0.869	0.871	