



PERFORMANCE AUTO



35 YEARS OF RACE HERITAGE

MAXIMA RACING OILS was created for world-class racers, men and women who challenge the limits of possibility. Their demands on equipment drive us to look beyond conventional ideas and to exceed industry standards. It's in our DNA to identify problems, formulate solutions and execute at the highest levels of competition. A simple goal to make things better than ever thought possible.

Maxima believed it could change lubrication and along our 35 year journey – many others believed in us too. Superior technology transcends sport to enhance the experience of consumers and racers alike. Our market leading products are used in over 50 countries around the globe and include engine oils, suspension fluids, coolants, care products and accessories. These products represent our commitment to excellence and a passion for redefining what is possible.

Maxima is a race-inspired, product driven company. We formulate, develop, manufacture and distribute high performance oils, lubes and ancillary products. The essence of our brand is communicated through hundreds of championships with world class racers, tuners and teams who rely on Maxima for unsurpassed performance in high-stress conditions without fail.

Founded in 1979 and headquartered in Southern California, Maxima is recognized as one of the most coveted brands in the racing industry. Decades of active involvement in professional racing has led to powerful technology and a full array of market leading products. The company continues its heritage by playing an active role in the sport and racing communities. We strive to deliver superior quality for the recreational athlete or World Champion.

Your sport is your passion. Gain back your freedom and **ENJOY THE RIDE!**

A large, stylized graphic of the number '35' is positioned in the lower right quadrant of the image. The numbers are rendered in a bold, blocky, outlined font. The background of the entire advertisement is a high-angle, close-up shot of a racetrack surface, showing the texture of the asphalt and the white and yellow painted lines. A prominent red and purple rectangular area is visible on the track, possibly a pit lane or a specific racing zone.

KB RACING/SUMMIT RACING

6X NHRA PRO STOCK CHAMPIONS - JASON LINE & GREG ANDERSON



PSO OWT 100% SYNTHETIC FULL RACE GRADE OIL

MAXIMA PSO is a 100% ester-based synthetic engine oil. Engineered with exotic, ultra-low viscosity synthetic base oils for maximum horsepower gains without sacrificing the integrity of critical engine components. Advanced formula contains surface active chemistry, drastically reducing friction and offering unsurpassed anti-wear/extreme pressure protection from extreme loads generated by high-performance engines. Ester synthetics resist mechanical break-down and viscosity loss of the oil and special additives offer consistently high vacuum. PSO delivers increased horsepower & torque, superior engine cleanliness, reduces wear on bearings, cams, lifters, crankshafts and extends engine life. High Zinc/Phosphorous formula engineered for use in flat tappet and roller element engines.

- Ultra-High Zinc Formula
- Offers Unsurpassed HP Gains and Consistent Vacuum
- Increased Horsepower & Torque
- Designed For Use In Pro Stock, Comp Eliminator and Qualifying

MAXIMA PSO is compatible with petroleum and synthetic engine oils. PSO is a fully formulated synthetic race oil and does not require the addition of additives or boosters. No special procedures are required when changing to Maxima Racing Oils.

NOT RECOMMENDED FOR STREET USE. MAXIMA PSO race-grade formula has elevated anti-wear additives designed to protect engines in extreme conditions. Elevated anti-wear additives may adversely impact emissions systems on passenger cars.

Available in: 32oz Quarts, 128oz Gallons, 5-Gal Pails & 55-Gal Drums

LIMITLESS

CHAMPIONSHIPS ARE EARNED, NOT GIVEN. There is no limit that we must conform to when developing a world class lubricant. Tribology is a constant and ever changing process leading to groundbreaking oil technology never before thought possible. A process fusing engine design, metallurgy and fluid dynamics. Maxima formulates its products with the racer/tuner in mind. Our triple ester full synthetic oils produce excellent horsepower and torque, extend the power curve further into the RPM range and offer unsurpassed protection and engine cleanliness. These results are created by tireless R&D and sweat equity. Trust Maxima for your next championship campaign.

POWER WITHOUT SACRIFICE.

TEAM SAHLEN'S
GRAND-AM ROLEX DAYTONA PROTOTYPE



RS SERIES MOTOR OILS

100% SYNTHETIC FULL RACE GRADE OIL

0W-10 • 0W-20 • 5W-20 • 5W-30 • 10W-30 • 10W-40 • 15W-50

MAXIMA RS engine oil is a full synthetic, triple ester based race-grade oil. Industry leading additive system offers the ultimate in engine performance and protection. Technologically advanced formula contains special anti-wear/extreme pressure additives to protect critical engine components from extreme loads and peak temperatures generated by high-performance engines. Regenerative, high viscosity index, synthetic polymer system resists mechanical break-down and viscosity loss of the oil. RS delivers increased horsepower & torque, superior engine cleanliness, reduces wear on bearings, cams, lifters, crankshafts and extends engine life. High Zinc/Phosphorous formula engineered for use in flat tappet and roller element engines.

- Increased Horsepower & Torque
- Ultimate Protection Of Critical Engine Components
- Ultra-High Zinc Formula
- Shear-Stable Polymer System Maintains Constant Viscosity

MAXIMA RS is compatible with petroleum and synthetic engine oils. RS is a fully formulated synthetic race oil and does not require the addition of additives or boosters. No special procedures are required when changing to Maxima Racing Oils.

NOT RECOMMENDED FOR STREET USE. MAXIMA RS race-grade formula has elevated anti-wear additives designed to protect engines in extreme conditions. Elevated anti-wear additives may adversely impact emissions systems on passenger cars.

Available in: 32oz Quarts, 128oz Gallons, 5-Gal Pails & 55-Gal Drums


The RS Series is available in 6 specific viscosities to better match your engine to conditions and needs.

RS010 - 0W-10 • RS020 - 0W-20 • RS520 - 5W-20 • RS530 - 5W-30 • RS1030 - 10W-30 • RS1040 - 10W-40 • RS1550 - 15W-50






ANTI-WEAR PROTECTION



HORSEPOWER COMPARISON



SEMI-SYN MOTOR OILS 10W-40 • 20W-50 HIGH PERFORMANCE ESTER BLEND RACING OIL

- Ester Based Semi-Synthetic
- Shear-Stable Polymer System Maintains Constant Viscosity
- Ultra-High Zinc Formula
- Ultimate Protection Of Critical Engine Components

MAXIMA SEMI-SYN engine oil is a complex blend of synthetic esters and highly refined petroleum base stocks offering protection beyond conventional oils. Technologically advanced additives containing special anti-wear/extreme pressure additives protect critical engine components from extreme loads and peak temperatures generated by high-performance engines. Advanced, shear-stable polymers resist mechanical break-down and viscosity loss of the oil. SEMI-SYN delivers increased horsepower, optimum engine cleanliness, reduces wear on bearings, cams, lifters, crankshafts and extends engine life. High Zinc/Phosphorous formula engineered for use in flat tappet and roller element engines.

MAXIMA SEMI-SYN is compatible with petroleum and synthetic engine oils. SEMI-SYN is a fully formulated race oil and does not require the addition of additives or boosters. No special procedures are required when changing to Maxima Racing Oils. Available in: 32oz Quarts, 128oz Gallons, 5-Gal Pails & 55-Gal Drums



35 YEARS OF HISTORY

ALONG OUR JOURNEY, WE HAVE ALWAYS TAKEN THE HIGH ROAD.

High zinc, high viscosity index formulas and high usage of the world's finest ester synthetics. Our formulating principles are simple – blend the best oils possible and market them to those that demand only the best for their race car, trophy truck or whatever it is you dream of racing. New generation additives protect critical engine components, free up hidden power and eliminate equipment failure. Maxima brings revolutionary formulas to the 4-wheel market, including complex ester oils that offer high load carrying capability, high surface active chemistry and high assurance that your equipment is well protected.

HISTORY IS BEING WRITTEN.



NICK HOFFMAN MOTORSPORTS
DIRT MODIFIED - NICK HOFFMAN



PERFORMANCE MOTOR OILS 10W-40 • 20W-50 HIGH PERFORMANCE PETROLEUM RACING OIL

- Ultra-Pure Petroleum Base
- Ultra-High Zinc Formula
- Ultimate Protection Of Critical Engine Components
- Shear-Stable Polymer System Maintains Constant Viscosity

MAXIMA PERFORMANCE engine oil is an exclusive blend of highly refined petroleum base stocks and technologically advanced additives. Special anti-wear/extreme pressure additives protect critical engine components from extreme loads and peak temperatures generated by high-performance engines. Advanced, shear-stable polymers resist mechanical break-down and viscosity loss of the oil. PERFORMANCE delivers increased horsepower, optimum engine cleanliness, reduces wear on bearings, cams, lifters, crankshafts and extends engine life. High Zinc/Phosphorous formula engineered for use in flat tappet and roller element engines.

MAXIMA PERFORMANCE is compatible with petroleum and synthetic engine oils. PERFORMANCE is a fully formulated race oil and does not require the addition of additives or boosters. No special procedures are required when changing to Maxima Racing Oils.

Available in: 32oz Quarts, 128oz Gallons, 5-Gal Pails & 55-Gal Drums



Meets or exceeds the requirements
of API CI-4 Plus/SL

HD DIESEL MOTOR OIL 15W-40 HIGH PERFORMANCE PETROLEUM DIESEL OIL

- API CI-4 Plus • Meets Or Exceeds OEM specs
- Ultimate Protection Of Critical Engine Components
- Ideal For Use In Duramax, Cummins And Power Stroke Engines

MAXIMA HD DIESEL is a fully formulated heavy-duty diesel motor oil. Advanced chemistry blended with high-quality petroleum base stocks offer excellent protection from the stresses of heat, soot and acids – preventing wear from deposits and corrosion. Elevated levels of detergent/dispersant help to eliminate the formation of larger combustion particles – minimizing soot-related viscosity increase – allowing for improved drain intervals.

MAXIMA HD DIESEL maintains excellent film strength during high-temperature operation to ensure dependable protection, performance and fuel efficiency. Highly refined petroleum base stocks provide outstanding lubricity and resist oil loss due to oil volatilization.


Formulated to meet or exceed API CI-4 Plus specifications for heavy-duty diesel applications. HD DIESEL is safe for use in modern and older diesel engines. HD DIESEL is an excellent choice for light, medium and heavy-duty truck engines for optimum durability.

MAXIMA HD DIESEL is ideal for use in popular transport trucks including Chevrolet Duramax, Dodge Cummins and Ford Power Stroke.


RECOMMENDED FOR USE IN ENGINES REQUIRING ANY OF THE FOLLOWING:

- | | | |
|------------------------|-----------------------------|---------------------|
| • ACEA A3/B4-04 (2007) | • API SL | • Global DHD-1 |
| • ACEA A3/B3-04 (2007) | • CAT ECF-2 ECF-1-a | • Mack EO-N-PP-03 |
| • ACEA E7-08 (2008) | • CUMMINS CES 20078 | • MAN 3275 |
| • API CI-4 Plus | • CUMMINS CES 20077 | • MB-Approval 228.3 |
| • API CI-4 | • CUMMINS CES 20076 | • Renault RVI RLD-2 |
| • API CH-4 | • Detroit Diesel DDC 93K214 | • Volvo VDS-3 |

Available in: 128oz Gallons, 5-Gal Pails & 55-Gal Drums



VISCOSITY EQUIVALENTS



VISCOSITY EQUIVALENTS

Crankcase and Gear oils are based on viscosity at 100°C (212°F.)

The "W" in the red columns refers to the "Weight" of the oil at 100°C (212°F.)

The "W" in the oil grades (e.g., 10W-30) refers to "Winter" and considers the low temperature properties of the oil.



TUNER SERIES

PROPER BREAK-IN OF NEW, RACE AND REBUILT ENGINES INCREASES DURABILITY AND PERFORMANCE.

Proper engine break in will produce an engine that achieves maximum power output with the least amount of oil consumption. A new engine should be broken in using specific guidelines during the first few hours. Maxima Break-In Oil should be part of your routine procedure during the initial engine run-in time. The focus of breaking in an engine is on the contact between the piston rings of the engine and the cylinder wall. When the piston rings are broken in or seated, they don't allow combustion gases to escape the combustion chamber past the piston rings into the crankcase section of the engine. This lack of "blow-by" keeps your engine running cleaner and cooler by preventing hot combustion gases and by-products from entering the crankcase. The tighter the piston rings are set in, the longer an engine is expected to last. Maxima Break-In Oil improves piston ring seal during initial break in and protects cams and lifters from extreme loads and "welding" caused by severe hot spots.

PERFORMANCE BREAK-IN MOTOR OILS 2X ZINC FORMULA REDUCES CRITICAL ENGINE WEAR 10W-30 • 15W-50

MAXIMA PERFORMANCE BREAK-IN OIL is specifically designed for breaking in engines with flat tappet camshafts, roller elements or where elevated levels of anti-wear additives are needed. High Zinc/Phosphorous formula is blended with highly refined, pure petroleum base stocks to provide optimum ring seal.

Complex 2X Zinc structure protects for an extended temperature range, outperforming conventional break-in oils. By combining two different zinc compounds, PERFORMANCE BREAK-IN OIL activates at lower temperatures and offers more protection at elevated temperatures.

- For use in the break-in of high performance race engines, including Off-Road, Circle Track, Late Model, Drag, Grand Am, etc.
- Promotes ring seal and provides maximum protection for cams and all critical valve train components during initial break-in of flat tappet and roller cam engines.
- Compatible with petroleum, semi-synthetic and fully synthetic motor oils.
- Ideal for use in Race Engines, OEM Rebuilds and Crate Motors.

PERFORMANCE BREAK-IN OIL is perfectly balanced and requires no other additives. Dyno tests show more efficiency in the break-in phase when using MAXIMA PERFORMANCE BREAK-IN OIL.

NOT RECOMMENDED FOR STREET USE. MAXIMA PERFORMANCE BREAK-IN OIL formula has elevated anti-wear additives designed to protect engines in extreme conditions. Elevated anti-wear additives may adversely impact emissions systems on passenger cars.

Available in: 32oz Quarts, 128oz Gallons, 5-Gal Pails & 55-Gal Drums



MESSER MOTORSPORTS

CLASS 10 RACE BUGGY - GARY MESSER



**PRO GEAR 75W-90 • 75W-140
FULL SYNTHETIC HIGH PERFORMANCE ESTER RACING OIL**

MAXIMA PRO GEAR full synthetic, ester based gear oil offers unsurpassed performance and protection. Regenerative, synthetic polymers resist shearing, mechanical breakdown and viscosity loss of the oil. High viscosity index (VI) formula offers consistent film thickness and performance over a greater operating temperature range.

Technologically advanced formula increases horsepower and delivers superior anti-wear and extreme pressure protection from peak loads and elevated temperatures. PRO GEAR's surface active chemistry delivers ultra-high film adhesion on gear faces, enabling higher load carrying capability and protecting critical gear interface areas and contact points. Fully formulated additive system contains anti-foam, rust, corrosion and oxidation protection for high-stress conditions.

MAXIMA PRO GEAR oil is recommended for use in front and rear differentials, manual transmissions and lower gear units of marine engines or anywhere an API GL-5 gear oil is specified. PRO GEAR oil is formulated with friction modifiers and is safe for use in hypoid gear systems.

MAXIMA PRO GEAR is compatible with petroleum and synthetic gear oils. PRO GEAR is a fully formulated synthetic race oil and does not require the addition of additives. No special procedures are required when changing to Maxima Racing Oils.

Available in: 32oz Quarts, 128oz Gallons, 5-Gal Pails & 55-Gal Drums



**PERFORMANCE GEAR OIL 85W-140 • 250WT
PETROLEUM BASED HIGH PERFORMANCE RACING OIL**

MAXIMA PERFORMANCE GEAR petroleum based gear oil offers unsurpassed performance and protection. Ultra-pure, high quality base oils and thickeners resist shearing, mechanical breakdown and viscosity loss of the oil. High viscosity index (VI) formula offers consistent film thickness and performance over a greater operating temperature range.

Technologically advanced formula delivers superior anti-wear and extreme pressure protection from peak loads and elevated temperatures. PERFORMANCE GEAR's surface active chemistry delivers ultra-high film adhesion on gear faces, enabling higher load carrying capability and protecting critical gear interface areas and contact points. Fully formulated additive system contains anti-foam, rust, corrosion and oxidation protection for high-stress conditions. 250WT gear oil has been proven in the deserts of Baja and in short course racing throughout the USA.

MAXIMA PERFORMANCE GEAR oil is recommended for use in front and rear differentials or anywhere an API GL-5 gear oil is specified. PERFORMANCE GEAR oil is formulated with friction modifiers and is safe for use in hypoid gear systems.

MAXIMA PERFORMANCE GEAR is compatible with petroleum and synthetic gear oils. PERFORMANCE GEAR is a fully formulated petroleum race oil and does not require the addition of additives. No special procedures are required when changing to Maxima Racing Oils.

Available in: 32oz Quarts, 128oz Gallons, 5-Gal Pails & 55-Gal Drums



JARIT JOHNSON RACING
TORC ROOKIE OF THE YEAR



SYN RACING ATF 20WT • 30WT
HIGH PERFORMANCE AUTO TRANS RACING FLUID

MAXIMA SYNTHETIC RACING ATF is specifically formulated to perform in automatic racing transmissions under high-torque, high-horsepower conditions. SYNTHETIC RACING ATF is a full synthetic formula with technologically advanced anti-wear and extreme pressure additives, protecting the transmission in high-stress environments. Advanced anti-foam agents minimize air entrapment in the oil and protect critical transmission components at higher speeds seen in racing conditions.

MAXIMA SYNTHETIC RACING ATF exhibits excellent wetting properties enabling increased heat transfer and lowering overall operating temperatures. Superior additive package is oxidative and thermally stable – inhibiting the formation of lacquer, varnish and harmful deposits – ensuring clean, trouble-free operation.

No slip formula offers positive shift engagement and reduces clutch drag. Special additives help to minimize clutch burn-in time, aiding in the overall reduction of operating temperatures. Ideal frictional properties help to eliminate wear, while providing smooth, positive shifts in high-stress, high-load environments.

Regenerative, synthetic polymers resist shearing, mechanical breakdown and viscosity loss of the oil. High viscosity index (VI) formula offers consistent film thickness and performance over greater operating temperatures.

SYN RACING ATF is available in standard 20WT and heavy-duty 30WT viscosities.

Available in: 32oz Quarts, 128oz Gallons, 5-Gal Pails & 55-Gal Drums



WORLD CLASS SUSPENSION FLUIDS

TSCO RACING

TROPHY TRUCK - MARK & GARY WEYHRICH

TSCO RACING fields a 2 Trophy Truck off-road team racing for the win in some of the most demanding and unforgiving conditions on Earth. TSCO understands the dedication it takes to win one of the most grueling races in the world and relies on Maxima for proven protection to keep their race trucks on course over the 1000 miles of pure evil we've all grown to love and admire...Baja California, Mexico. Few races test equipment harder than the Baja 1000. Thousands of pre-running miles and a year of preparation are never enough to guarantee a top finish at this prestigious race. Insure your equipment against failure by using what the best in the industry use - Maxima Racing Oils. **ENJOY THE RIDE.**



SYNTHETIC RACING SHOCK FLUID (SYN RSF)

FULL SYNTHETIC • ZERO FADE FORMULA

ULTRA LIGHT 0 WT * LIGHT 3WT

MAXIMA SYNTHETIC RACING SHOCK FLUID (SYN RSF) is an ester-based, full synthetic race-grade shock fluid formulated to withstand extreme temperatures and loads. SYN RSF is blended to the tight specifications required by racing professionals. Industry leading additive system ensures clean, trouble-free operation over extended usage periods. Regenerative synthetic polymers resist mechanical sheering and viscosity breakdown, offering the ultimate protection and film strength. Extremely high viscosity index over 350+, low pour point and friction reducing additives eliminate seal drag and minimize the rate of viscosity change and volumetric expansion under high temperatures. Active molecular technology offers excellent wear and foam control and unsurpassed performance characteristics. SYN RSF will work equally well in aluminum and steel bodied suspension components. SYN RSF is compatible with petroleum and synthetic suspension fluids.

LIGHT 3WT available in: 32oz Quarts, 5-Gal Pails & 55-Gal Drums

ULTRA LIGHT 0WT available in: 5-Gal Pails & 55-Gal Drums



RACING SHOCK FLUID (RSF)

FADE FREE FORMULA

LIGHT 3WT • MEDIUM 7WT • HEAVY 10WT

MAXIMA RACING SHOCK FLUIDS (RSF) contain the latest technology additives for today's high performance shock absorbers. Synthetic, regenerative polymer system offers a very high viscosity index (350+ VI) and extremely low pour point, providing consistent performance over a wide temperature range. Formulated with special slippery agents that reduce friction and eliminate stiction. Advanced additive system contains seal conditioners, anti-foam, anti-oxidants and corrosion inhibitors. Improve the feel of your ride and protect your system from runaway temperatures with Maxima RSF.

Available in: 32oz Quarts, 5-Gal Pails & 55-Gal Drums



SHOCK BUILDERS CHOOSE MAXIMA

JRI • EIBACH • AST • FOX SHOX • MSI • FACTORY KAHNE • RE SUSPENSION • COMPETITION SUSPENSION

More OEMs, shock builders, chassis engineers and race teams choose Maxima Shock Fluids due to their unique properties and ever-dependable consistency under high-stress applications. SYN RSF & RSF are top choices for road course, stock car, late model, and off-road racing. Professionals demand the best and Maxima delivers time after time.



MAXIMA KART SPEC

2-STROKE HERITAGE

Maxima revolutionized the industry by introducing Castor 927 in the 70's. 927 is still the #1 selling performance 2-stroke oil in most markets around the world. Proven performance, unbeatable protection and the greatest smelling 2-stroke oil on the planet!

"We don't build oils with a budget in mind, we build them with the racer in mind."

- DICK LECHIEN FOUNDER MAXIMA RACING OILS

MAXIMA ADVANCED FORMULAS

Maxima uses the cleanest, strongest components to blend an industry leading line-up of 2-stroke oils. Surface active esters, pure base oils and clean burn technology work in harmony to increase horsepower, reduce wear and to offer smooth, clean, trouble-free operation in high stress operating conditions.

RATIO	OZ. PER 1-GAL	CC PER 1-GAL	OZ. PER 5-GAL	CC PER 5-GAL	CC PER LITER
16:1	8.0	236	40.0	1180	62.5
20:1	6.4	190	32.0	945	50.0
24:1	5.3	157	26.7	790	41.5
28:1	4.6	136	22.8	675	36.0
32:1	4.0	118	20.0	590	31.0
40:1	3.2	95	16.0	475	25.0
50:1	2.6	77	12.8	380	20.0
64:1	2.0	59	10.0	295	15.5
80:1	1.6	47	8.0	235	12.5
100:1	1.3	30	6.4	190	10.0

OIL RATIO CHART

FORMULA K2 100% ESTER SYNTHETIC

100% synthetic, polyol ester based high-performance 2-cycle lubricant. High film strength provides superior protection for pistons, cylinder walls, cranks and bearings. Advanced additive system eliminates ring sticking, reduces carbon build-up, prevents rust & oxidation and minimizes power valve maintenance. Suitable for all forms of competition. Safe to use with leaded or unleaded gasoline. Premix only.

Available In: 16oz, Liter, 64oz & 5-Gal Pails



CASTOR 927 PRO SERIES 2T

The ultimate racing 2-cycle lubricant. Biodegradable formula is fortified with clean-burning additives to reduce power valve maintenance, prevents rust & oxidation, eliminates ring sticking and reduces carbon build-up. Generate more horsepower with improved ring seal and significantly lower friction. Premix only.

Available In: 16oz, Liter, 64oz & 5-Gal Pails



CHAIN WAX #1 SELLING CHAIN LUBE

Often imitated - Never duplicated. America's #1 chain lubricant. High-performance chain lubricant for X, Z and O-ring chains. Exclusive Parafilm™ formula sprays on as a liquid, penetrates and then sets up as a soft waxy film, creating an excellent lube that protects the chain from the elements. Outstanding rust & corrosion protectant. Will not fling-off or attract dirt. For street & off-road use.

Available In: 5.5oz & 13.5oz



SYNTHETIC CHAIN GUARD CRYSTAL CLEAR FORMULA

100% synthetic chain lube. Special crystal clear formula resists fling-off. Advanced technology allows lube to penetrate critical inner pins and rollers, lubricating and protecting them from friction, shock load and high temperatures. Protective boundary guards chain against rust & corrosion while super clean formula minimizes the attraction of dirt. For street & off-road use.

Safe for use on X, Z and O-ring chains. Available in: 6oz & 14oz

MTL TRANS LUBE CLUTCH SAVER FORMULA XL - 75WT

Designed for use in high-performance 2-cycle kart transmissions. Helps prevent clutch slippage and keeps wear to an absolute minimum. MTL's special formulation provides exceptional lubrication and wear protection to all critical clutch and transmission components. Safe for use on both aluminum and steel clutch plates.

Available in: Liter & 5-Gal Pails



35 YEARS OF RACING HERITAGE

MAXIMA RACING OILS LEADS THE INDUSTRY WITH ITS AEROSOL LINE

With top selling products in all categories, it's hard to overlook the strength of Maxima's aerosol line. Our aerosol product line offers award winning SC1 Clear Coat, with seemingly endless possibilities. SC1 is an addiction. Once you experience the power and luster that SC1 offers, you'll never go without. Our newest offering is destined to become a Top 10 Maxima product, try our new Speed Wax on all your precious equipment. Top tier products for professional tuners, racers and weekend warriors!



SC1 CLEAR COAT

Restore that factory shine! SC1 Clear Coat is formulated for the racing industry. SC1 conditions and polishes plastic, fiberglass and painted surfaces. Makes the clean-up process easier. Excellent for use as a clear coat, inside fender wells and along bodywork to prevent mud, dirt and rubber from adhering to the body panels. SC1 repels water and leaves a long lasting luster. Buff SC1 for outstanding shine without attracting dirt and dust. Available in: 12oz



SPEED WAX PROFESSIONAL FORMULA

Speed Wax is a specialized detailer. An all-in-one detailer that conditions, shines and protects painted surfaces, chrome, anodizing, windcreens and plastic. Advanced formula blends conditioners with color enhancers to produce a brilliant shine. Easy application and removal – Speed Wax is designed to minimize effort and maximize shine and is the quickest way to detail your ride. Soothing wax sets up quickly and easily wipes from smooth surfaces. A single application is all it takes. Available in: 15.5oz



SUSPENSION CLEAN SUSPENSION CLEAN

Maxima Suspension Clean is specifically formulated for the racing industry professional. Suspension Clean's unique formula quickly and easily cleans suspension internally and externally leaving a dry, residue free surface. Professional formula integrates strong industrial cleaners with a powerful spray. Overspray will not harm o-rings or most seal materials. Displaces moisture. Available in: 13oz



CONTACT CLEANER CITRUS SCENTED

The best contact cleaner on the market. Citrus scented, heavy-duty aerosol cleaner is a blend of special cleaning agents that displace moisture and remove grease, oil and other contaminants. Extra heavy propellant charge provides maximum spray pressure for hard to reach areas. Outstanding for use on ignitions, spark plugs, electrical components or when a fast drying cleaner is needed. Environmentally friendly. Non-caustic, No CFC's. Available in: 13oz



CLEAN UP CHAIN CLEANER

Maxima Clean Up is a heavy duty, emulsion type cleaner designed to thoroughly clean chains without harming rubber o-rings or metal surfaces. Outstanding performance on aluminum. Maxima Clean Up quickly dissolves and removes hard to clean buildup on your chains. Stop robbing horsepower. For best results, use Maxima Clean Up with your routine maintenance. Available in: 15.5oz



MPPL MULTI-PURPOSE PENETRANT LUBE

Multi-Purpose Penetrant Lube is a superior, all-purpose spray-on penetrating lubricant. Provides a light lubrication and excellent barrier against rust & corrosion. Great for displacing moisture or loosening rusted nuts and bolts. MPPL forms a protective film on metal and will not harm plastic or painted surfaces. Excellent fogging oil and starting fluid for engines. Available in: 14.5oz

TEAM i-MOTO AND PIERRE KLEINUBING

GRAND-AM CONTINENTAL TIRE SPORTS CAR CHALLENGE ST TEAM AND DRIVER CHAMPIONS



**AIR FILTER CLEANER
READY-TO-USE**

Maxima Air Filter Cleaner is a heavy-duty emulsion-type cleaner designed to thoroughly clean both foam and fabric air filters without damaging foam cells, paper or glue. Maxima Air Filter Cleaner will remove oil and dirt from air filter elements and easily washes out with water. Rated #1 by Dirt Rider magazine. Available in: 64oz



DON'T ROB YOUR ENGINE OF VALUABLE HORSEPOWER



P E A K H O R S E P O W E R

INDEPENDENT DYNO TESTS RUN BY ALBA ACTION.

AES RACING

SUPER LATE MODEL DIRT - JONATHAN DAVENPORT



**FFT
FOAM FILTER TREATMENT**

Race proven synthetic foam filter treatment provides unequalled protection against the elements. Unlike other foam filter oils, FFT's time proven formula will not plug foam cells or migrate off of filters. FFT's protective coating catches dirt and fine dust without restricting airflow. Dyed dark blue to ensure even coverage on all surface areas inside and out. Resists washout from carburetor fogging. Water-resistant. The ultimate air filter oil. Available in: 16oz/32oz



**FAB 1
SPRAY ON FILTER OIL**

Advanced spray-on synthetic filter treatment provides unequalled protection against the elements. Unlike other filter oils, Fab1's time proven formula will not plug foam cells or migrate off of filters. Fab1's protective coating catches dirt and fine dust without restricting airflow. Dyed dark blue to ensure even coverage on all surface areas inside and out. Resists washout from carburetor fogging. May be used on foam and fabric filters. Water-resistant. The ultimate air filter oil. Available in: 13oz



**AIR FILTER CLEANER
RATED #1
BEST ON THE MARKET**

Maxima Air Filter Cleaner is a heavy-duty emulsion-type cleaner designed to thoroughly clean both foam and fabric air filters without damaging foam cells, paper or glue. Maxima Air Filter Cleaner will remove oil and dirt from air filter elements and easily washes out with water. Rated #1 by Dirt Rider magazine. Available in: 15.5oz



**AIR FILTER CARE KIT
FEATURING MAXIMA
AIR FILTER CLEANER & FAB 1**

A clean and perfectly oiled air filter provides maximum airflow and increased horsepower. Maxima Air Filter Cleaner is a heavy-duty emulsion-type cleaner designed to thoroughly remove oil and dirt. Fab1 spray-on synthetic air filter oil (same proven formula as FFT) provides unequalled protection against the elements. Fab1's protective coating catches dirt and dust without restricting airflow.

Maxima Air Filter Cleaner

- Heavy duty emulsion type cleaner
- For both foam & fabric filters
- Will not damage foam, paper or glue
- Easily washes out with water

2 PACK CONTAINS: Maxima Air Filter Cleaner 15.5oz and Fab1 Spray-on air filter oil 13oz

BUBBA POLLARD RACING
 SUPER LATE MODEL ASPHALT - BUBBA POLLARD



COOL-AIDE
RACING COOLANT & ADDITIVE

Maxima Engine Cool-Aide is formulated to reduce engine temperatures and provides significantly better contact on heated surfaces allowing for greater and more efficient heat transfer. Cool-Aide comes in two forms. A 64oz. Ready-to-Use bottle that requires no mixing or blending and in a powerful 16oz. Concentrate. Cool-Aide mixes with water and antifreeze. Cool-Aide is for race use and does not offer freeze protection. Approved for race use on paved surfaces.

Available in: 16oz Concentrate & 64oz Ready-To-Use



COOLANOL
HI-PERFORMANCE COOLANT

Premixed ready-to-use 50/50 blend of premium antifreeze and deionized water packaged in a convenient size. Custom blended antifreeze contains additives to protect your cooling system against cavitation, foaming, rust, corrosion and provides lubrication to the water pump and seals. Specially designed formula for use in aluminum and magnesium engines.

Available in: 128oz Gallons



FACTORY KAHNE
BRAD SWEET



**SYN PSF
SYNTHETIC POWER STEERING FLUID**

Maxima Racing Oils Synthetic Power Steering Fluid (SYN PSF) is a high-performance oil engineered to perform under the severe stresses found in modern day racing power steering systems. Racing power steering systems operate under increased loads and elevated temperatures when compared to on-highway systems. Maxima SYN PSF uses technologically advanced additives to prevent wear, thermal breakdown and oxidation – offering unsurpassed protection to pumps, cylinders, valves and gears. Special conditioners keep seals and O-rings pliable under extreme conditions.

Maxima SYN PSF offers smooth, quiet, trouble-free operation. Full synthetic formula delivers consistent steering response and exhibits excellent flow at low temperatures. Lightweight formula reduces initial drag on pump avoiding power losses. High viscosity index fluid offers greater high-temp viscosity than many petroleum based fluids. Advanced ester based synthetics eliminate fading and boil over and exhibit exceptional antifoam characteristics in high-performance, high-temperature environments.

Compatible with petroleum and synthetic power steering fluids. Used in Off-Road, Trophy Truck, NASCAR, Grand-Am, Sprint Car, Modified and Performance Street applications. Extend the life of your power steering system.

- High-Temperature / Thermally Stable Formula
- Delivers Consistent Steering Response
- Improved Wear Protection
- Lightweight, High VI Fluid = Increased HP & Zero Fade
- Unsurpassed Antifoam Characteristics
- Compatible with Petroleum and Synthetic Fluids

Available in: 32oz Quarts, 5-Gal Pails & 55-Gal Drums



RACING BRAKE FLUID

SYN DOT 4 600+, DOT 4 & DOT 5

SYN Racing DOT 4 offers an extremely high 620°F boiling point for racing. DOT 4 brake fluid meets and exceeds all OEM specifications for glycol based fluids and offers excellent protection against moisture contamination. DOT 5 Silicone based fluid should be used where a silicone based fluid is specified.

Available in: 12oz



**WATERPROOF GREASE
HI-TEMP, TACKY FORMULA**

Multi-purpose lithium complex grease has excellent resistance to water washout and clings to metal surfaces under the most severe conditions. Use for assembly, bearing packing, axles and trailer components. Saltwater resistant. Provides excellent protection against high loads, extreme temperatures, moisture, rust & corrosion. Very high temperature grease suitable for disc brake application. Available in: 16oz



ASSEMBLY LUBE ADVANCED PROTECTION

Maxima Assembly Lube is specially formulated to protect highly loaded, critical engine components during engine assembly and break-in. Special polymers promote good lube adhesion to metal parts without stringiness. Thick, consistent lube minimizes oil migration during assembly. High levels of anti-wear (zinc) and extreme pressure agents provide excellent protection for all metal surfaces during initial engine break-in. Next generation additives preserve metals from corrosion during storage. Assembly Lube completely dissolves in petroleum and synthetic engine oils. Available in: 4oz Bottle



**ASSEMBLY GREASE
ADVANCED PROTECTION**

Maxima Assembly Grease is specially formulated to protect highly loaded, critical engine components during engine assembly and break-in. Assembly Grease is designed to stay in place, eliminating migration off of parts during assembly and storage. High levels of anti-wear (zinc) and extreme pressure agents provide excellent protection for all metal surfaces during initial engine break-in. Next generation additives preserve metals from corrosion during storage. Assembly Grease completely dissolves in petroleum and synthetic engine oils. Available in: 1oz Tube



**PAILS & DRUMS
5-GALLON PAILS & 55-GALLON DRUMS**

Most of Maxima's products are available in 5-gallon pails and 55-gallon drums. The 5-gallon pails are packed in a sturdy carton for easier and less costly UPS shipping throughout the U.S. The economical plastic pump fits on all Maxima 5-gallon pails and 55-gallon drums. Both larger size containers offer the consumer exceptional price points.



KB RACING/SUMMIT RACING
6X NHRA PRO STOCK CHAMPIONS - JASON LINE & GREG ANDERSON

BIOWASH BIODEGRADABLE FORMULA

Maxima BIO Wash is a unique, biodegradable all-purpose cleaner. Fast-acting cleaning agents lift away dirt while scrubbing grime and oil based deposits. Specially engineered surfactants, lower surface tension allowing better penetration and wetting of soils. Tough on dirt, yet BIO Wash is gentle enough to use on delicate surfaces including paint, plastic, chrome, anodizing, rubber, carbon fiber and almost anything you throw at it. Safely and easily clean your equipment.

Advanced micro chemistry protects aluminum, magnesium and other alloys. Contains no harmful acids, CFC's or solvents. 50 State VOC compliant.

User friendly formula cleanly washes from the surface. Be a responsible downstream user – Eco friendly formula is non-toxic and biodegradable.

- Fully Biodegradable, Eco Friendly Formula
- Advanced Micro Chemistry
- Powerful Cleaning Action on Dirt & Oil
- Special Additives Protect Aluminum, Magnesium and Other Alloys
- Professional Strength
- Safe on Paint, Plastic, Carbon Fiber, Rubber and Alloys
- Gentle Enough for Everyday Use

Available in: 1 Liter Spray Bottle



CAR TYPE	ENGINE OIL	BREAK-IN OIL	TRANSMISSION FLUID	GEAR OIL	POWER STEERING FLUID
ASPHALT CIRCLE TRACK					
2 Barrel Late Model	RS1040/SEMI-SYN 10W-40/PERFORMANCE 10W-40	BREAK-IN 15W50	PRO GEAR 75W-90	PRO GEAR 75W-90	SYN PSF
Crate Late Model-Ford & Dodge	RS1040/SEMI-SYN 10W-40/PERFORMANCE 10W-40	BREAK-IN 15W50	PRO GEAR 75W-90	PRO GEAR 75W-90	SYN PSF
Crate Late Model-GM	RS1030	BREAK-IN 10W30	PRO GEAR 75W-90	PRO GEAR 75W-90	SYN PSF
NASCAR-Cup-Nationwide-Truck-Open Engine	RS020	BREAK-IN 10W30	PRO GEAR 75W-90	PRO GEAR 75W-90	SYN PSF
NASCAR-Restrictor Plate	RS010	BREAK-IN 10W30	PRO GEAR 75W-90	PRO GEAR 75W-90	SYN PSF
NASCAR-Spec Engines	RS1030	BREAK-IN 10W30	PRO GEAR 75W-90	PRO GEAR 75W-90	SYN PSF
Pavement Modifieds-Open	RS1030	BREAK-IN 10W30	PRO GEAR 75W-90	PRO GEAR 75W-90	SYN PSF
Scaled Cars (Legends, Dwarf, etc.)	RS1030	BREAK-IN 10W30	PRO GEAR 75W-90	PRO GEAR 75W-90	SYN PSF
Super Late Model-Race	RS1030	BREAK-IN 10W30	PRO GEAR 75W-90	PRO GEAR 75W-90	SYN PSF
Super Late Model-Qualifying	RS010	BREAK-IN 10W30	PRO GEAR 75W-90	PRO GEAR 75W-90	SYN PSF
DIRT CIRCLE TRACK					
410 Sprint Cars	RS1550/SEMI-SYN 20W-50/PERFORMANCE 20W-50	BREAK-IN 15W50	N/A	PRO GEAR 75W-90	SYN PSF
360 Sprint Cars	RS1040/SEMI-SYN 10W-40/PERFORMANCE 10W-40	BREAK-IN 15W50	N/A	PRO GEAR 75W-90	SYN PSF
Midgets	RS1040/SEMI-SYN 10W-40/PERFORMANCE 10W-40	BREAK-IN 15W50	N/A	PRO GEAR 75W-90	SYN PSF
Crate Late Model-GM	RS1030	BREAK-IN 10W30	ATF 20WT	PRO GEAR 75W-90	SYN PSF
Dirt Modifieds-Big Block	RS1550/SEMI-SYN 20W-50/PERFORMANCE 20W-50	BREAK-IN 15W50	ATF 20WT	PRO GEAR 75W-90	SYN PSF
Dirt Modifieds-Small Block	RS1550/SEMI-SYN 20W-50/PERFORMANCE 20W-50	BREAK-IN 10W30	ATF 20WT	PRO GEAR 75W-90	SYN PSF
Super Late Model-Race	RS1550/SEMI-SYN 20W-50/PERFORMANCE 20W-50	BREAK-IN 15W50	ATF 20WT	PRO GEAR 75W-90	SYN PSF
IMCA Modifieds	RS1040/SEMI-SYN 10W-40/PERFORMANCE 10W-40	BREAK-IN 15W50	ATF 20WT	PRO GEAR 75W-90	SYN PSF
DRAG RACING					
Bracket-Nitrous	RS1550/SEMI-SYN 20W-50/PERFORMANCE 20W-50	BREAK-IN 15W50	PRO GEAR 75W-90	PRO GEAR 75W-140	N/A
Bracket-Alcohol	RS1550/SEMI-SYN 20W-50/PERFORMANCE 20W-50	BREAK-IN 15W50	PRO GEAR 75W-90	PRO GEAR 75W-140	N/A
Pro Stock/Competition Eliminator	PS0 0WT	BREAK-IN 10W30	PRO GEAR 75W-90	PRO GEAR 75W-140	N/A
Stock Eliminator	RS520	BREAK-IN 10W30	PRO GEAR 75W-90	PRO GEAR 75W-140	N/A
LAND SPEED RACING					
Bonneville/ Time Trial Vehicles	RS530	BREAK-IN 10W30	PRO GEAR 75W-90	PRO GEAR 75W-90	N/A
OFF-ROAD					
Baja, Desert, Stadium Track	RS1550/SEMI-SYN 20W-50	BREAK-IN 15W50	ATF 30WT	PERFORMANCE 250WT	SYN PSF
ROAD RACING					
Indy Car-Pro Series-Atlantic	RS020	BREAK-IN 10W30	PRO GEAR 75W-90	PRO GEAR 75W-90	SYN PSF
Grand Am-World Challenge-Sprint	RS020	BREAK-IN 10W30	PRO GEAR 75W-90	PRO GEAR 75W-90	SYN PSF
Grand Am-World Challenge-24 Hr	RS1030	BREAK-IN 10W30	PRO GEAR 75W-90	PRO GEAR 75W-90	SYN PSF
GT Class Sportscars-Sprint	RS020	BREAK-IN 10W30	PRO GEAR 75W-90	PRO GEAR 75W-90	SYN PSF
GT Class Sportscars-24 Hr	RS1030	BREAK-IN 10W30	PRO GEAR 75W-90	PRO GEAR 75W-140	SYN PSF
Spec Engine Class (Miata, Ford, Etc.)- Race	RS520	BREAK-IN 10W30	PRO GEAR 75W-90	PRO GEAR 75W-90	SYN PSF
Spec Engine Class (Miata, Ford, Etc.)-Qualifying	RS010	BREAK-IN 10W30	PRO GEAR 75W-90	PRO GEAR 75W-90	SYN PSF
SMALL ENGINE					
4 Stroke Karts	RS010	BREAK-IN 10W30	N/A	N/A	N/A
Junior Dragster	RS010	BREAK-IN 10W30	N/A	N/A	N/A
Quarter Midget	RS010	BREAK-IN 10W30	N/A	N/A	N/A
TOWING					
Turbo Charged Diesel	HD DIESEL 15W-40	BREAK-IN 15W50	ATF 20WT	PRO GEAR 75W-140	SYN PSF
MISCELLANEOUS					
Vintage Racing	RS1550/SEMI-SYN 20W-50/PERFORMANCE 20W-50	BREAK-IN 15W50	PRO GEAR 75W-90	PRO GEAR 75W-90	SYN PSF



TOOLS OF THE TRADE POWERFUL LUBRICANTS & CLEANERS

MAXIMA BIKE

 **FAIR IN DRY,
DUSTY CONDITIONS**

 **GOOD IN IDEAL,
FAIR CONDITIONS**

 **EXCELLENT IN WET,
RAINY CONDITIONS**

 **EXCELLENT IN COLD,
SNOWY CONDITIONS**



SYNTHETIC CHAIN GUARD WET FORMULA CRYSTAL CLEAR FORMULA

Exclusive 100% synthetic bike chain lube. Special surface active formula reduces rolling resistance of drivetrain and improves shifting performance. Deep chain penetration ensures quiet operation, protects drivetrain under load and extends chain life by shielding it from the elements – dirt, grime & water. Waterproof. Ideal for use on both short and long rides.

Available in: 4oz & 128oz Bottles

 **EXCELLENT IN DRY,
DUSTY CONDITIONS**

 **EXCELLENT IN IDEAL,
FAIR CONDITIONS**

 **FAIR IN WET,
RAINY CONDITIONS**

 **FAIR IN COLD,
SNOWY CONDITIONS**



CHAIN PRO DRY FORMULA

Ultra-clean formula bike chain lube designed for use in dry conditions. Surface active chemistry promotes smooth shifting under load, quiets chain noise and significantly improves life of driveline. Fast penetration and setup promotes a clean, trouble-free operating environment in dry, dusty conditions. Waterproof. Ideal for everyday use. Experience the difference.

Available in: 4oz & 128oz Bottles

 **EXCELLENT IN DRY,
DUSTY CONDITIONS**

 **EXCELLENT IN IDEAL,
FAIR CONDITIONS**

 **EXCELLENT IN WET,
RAINY CONDITIONS**

 **FAIR IN COLD,
SNOWY CONDITIONS**



CHAIN WAX ALL CONDITIONS

Parafilm™ bike chain lube goes on wet to penetrate rollers and side plates, then sets up to a soft, pliable wax. Chain is encased in a protective layer and shielded from the harsh elements of dirt, grime & water. Special low melt point wax replenishes drivetrain by drip-feeding clean lube from the inside layers outward, significantly reducing abrasive wear and eliminating corrosion. Smooth, quiet, trouble-free operation in all conditions. Waterproof. Long lasting protection for all cyclists.

Available in: 4oz & 128oz Bottles

MADE IN THE USA 



THREE BIKE SPECIFIC CHAIN LUBES

**DEVELOPED AND
PROVEN IN THE
TOUGHEST
WORKSHOPS**

TOOLS OF THE TRADE


NOT YOUR ORDINARY, EVERYDAY BIKE CARE



MPPL **MULTI-PURPOSE PENETRANT LUBE**

Multi-Purpose Penetrant Lube is a superior, all-purpose penetrating lubricant. Provides light lubrication and excellent barrier against rust & corrosion. Great for displacing moisture or loosening rusted nuts and bolts. MPPL forms a protective film on metal and will not harm plastic or painted surfaces.

Available in: 4oz Bottle & 14.5oz Aerosol



SC1 **HIGH GLOSS COATING**

Restore that factory shine! SC1 High Gloss is formulated for the bicycle industry. SC1 conditions and polishes painted surfaces, rubber, plastic and is safe for use on carbon fiber and matte finishes. SC1 makes the clean-up process easier. Excellent for use on bikes to prevent mud and dirt from adhering to frame and components. SC1 repels water leaves a long lasting luster.

Available in: 17.2oz Aerosol



SUSPENSION CLEAN **SPECIALTY CLEANER**

Suspension Clean is specifically formulated for the bicycle industry professional. Suspension Clean's unique formula quickly and easily cleans suspension internally and externally leaving a dry, residue free surface. Professional formula integrates strong industrial cleaners with a powerful spray. Overspray will not harm o-rings or most seal materials. Displaces moisture. User friendly scent.

Available in: 18.1oz Aerosol



ELECTRICAL CONTACT CLEANER **CITRUS SCENTED**

The best contact cleaner on the market. Citrus scented cleaner is a blend of special cleaning agents that displace moisture and remove grease, oil and other contaminants. Extra heavy propellant charge provides maximum spray pressure for hard to reach areas. Outstanding for use on derailleurs or when a fast drying cleaner is needed. 50 state VOC compliant.

Available in: 17.5oz Aerosol




ASSEMBLY LUBE **ADVANCED PROTECTION**



Specialty, film forming lubricant designed to protect moving components and wear surfaces during assembly and initial break-in. Prevents metal-to-metal contact and offers excellent rust and corrosion protection during long service periods and storage. Fully formulated with high levels of anti-wear & extreme pressure additives and surface active chemistry to reduce friction. 2X Zinc activates at both high and low operating temps providing unsurpassed protection. Non-foaming.

Available in: 4oz Bottle



SYN DOT 4 600 **HI-TEMP RACING BRAKE FLUID**

SYN Racing DOT 4 offers an extremely high 600°F boiling point for all conditions, including normal, extreme and racing environments. SYN Racing DOT 4 brake fluid meets and exceeds all OEM specifications and offers excellent protection against moisture contamination. Eliminates brake fade due to high brake fluid temps and offers a consistent, controllable feel on the lever.

Available in: 12oz Bottle



SG-920 SEAL GREASE **SMOOTH GLIDE TECHNOLOGY** **LIGHTWEIGHT FORMULA**

SG-920 Seal Grease is specially formulated to reduce friction, producing a smooth butter-like action to moving surfaces. Excellent for use on fork and shock seals, during break-in and as a light assembly lube. Designed to stay in place and to eliminate stiction. SG-920 offers excellent anti-wear and extreme pressure protection for all metal surfaces. Next generation additives preserve metals from corrosion during storage.

Available in: 1oz Jar



WATERPROOF GREASE **HI-TEMP, TACKY FORMULA**

Multi-purpose lithium complex grease has excellent resistance to water washout and clings to metal surfaces under the most severe conditions. Provides excellent protection against high loads, extreme temperatures, moisture, rust & corrosion.

Available in: 16oz Jar



BIO WASH **BIODEGRADABLE FORMULA**

BIO Wash is a unique, biodegradable all-purpose cleaner. Fast-acting cleaning agents lift away dirt while scrubbing grime and oil based deposits. Specially engineered surfactants, lower surface tension allowing better penetration and wetting of soils. Tough on dirt, yet BIO Wash is gentle enough to use on delicate surfaces including paint, plastic, chrome, anodizing, rubber, carbon fiber and almost anything you throw at it. Safely and easily clean your equipment. Advanced micro chemistry protects aluminum, magnesium and other alloys. Contains no harmful acids, CFC's or solvents. 50 State VOC compliant. User friendly formula cleanly washes from the surface. Be a responsible downstream user – Eco friendly formula is non-toxic and biodegradable.

- Fully Biodegradable, Eco Friendly Formula
- Advanced Micro Chemistry
- Gentle Enough for Everyday Use
- Special Additives Protect Aluminum, Magnesium and Other Alloys
- Professional Strength
- Powerful Cleaning Action on Dirt & Oil
- Safe on Paint, Plastic, Carbon Fiber, Rubber and Alloys

Available in: 1 Liter Spray Bottle



BIO WASH IS GENTLE ENOUGH FOR EVERYDAY USE, YET POWERFUL ENOUGH TO CLEAN YOUR BIKE'S DRIVETRAIN.




Earth
Friendly
Products




MTB SUSPENSION SPECIFIC FORMULA

***ONE FLUID, ONE SOLUTION,
ALL BRANDS!***





EFFICIENCY TEST (SRV) REFERENCE TESTING



STICTION TEST BREAKAWAY FRICTION / STICK SLIP

PLUSH SUSPENSION FLUID
ANTI-STICTION FORMULA 3WT • 5WT • 7WT • 10WT

PLUSH is an advanced suspension fluid for high performance MTB suspension systems. PLUSH is designed for use in both forks and shocks. Surface active technology eliminates stiction, reduces friction and considerably lowers the force needed for easy breakaway in the initial stroke of travel, providing smooth action throughout the entire range of travel. Advanced additives extend seal life and protect the system from wear and corrosion. Ultra-clean detergents offer smooth, trouble-free operation.

"Zero Fade" high viscosity index (VI) fluid ensures consistent damping action over a wider operating temperature range than conventional suspension oils. Enjoy a PLUSH ride from start to finish with incredible all-terrain feel and responsive suspension feedback.

PLUSH was developed with the world's fastest racers, on the world's toughest circuits. Proven in XC, Enduro, All Mountain, DH and Freeride. PLUSH is optimized for today's sophisticated suspension systems. There is no better choice for your MTB.

- Improves Traction, Control and Overall Handling
- Eliminates Stiction and Reduces Friction
- Exceeds Manufacturers' Seal Swell Tolerances
- Developed for use in Front Forks & Rear Shocks

Available in: 16oz & 128oz Bottles

FOR USE WITH ALL MTB SUSPENSION BRANDS.






EXPERIENCE THE DIFFERENCE



Established in 1979

Made In The USA

EXPERIENCE THE DIFFERENCE



PERFORMANCE GUARANTEED BY MAXIMA RACING OILS

Maxima Racing Oils was created for world-class racers who challenge the limits of possibility. Their demands on equipment drive us to look beyond conventional ideas and to exceed industry standards. It's in our DNA to identify problems, formulate solutions and execute at the highest levels of competition. A simple goal to make things better than ever thought possible.

Maxima believed it could change lubrication and along our 35+ year journey – many others believed in us too. Superior technology transcends sport to enhance the experience of consumers and racers alike. Our market leading products are used in over 50 countries around the globe and include engine oils, suspension fluids, coolants, care products and accessories. These products represent our commitment to excellence and a passion for redefining what is possible.



EXPERIENCE THE DIFFERENCE



We challenge you to experience the difference with Maxima. Ultimate performance, unbeatable protection and a love of motorcycles defines Maxima. Countless hours of development, focused purely on the Powersports market, has enabled Maxima to be a top choice for all makes, models and brands.

Founded in 1979 and headquartered in Southern California, Maxima is recognized as one of the most coveted brands in the motorcycle industry. Decades of active involvement in motorcycling has led to powerful technology and a full array of market leading products.



Made In The USA

4-STROKE PERFORMANCE




PERFORMANCE GUARANTEED BY MAXIMA RACING OILS Modern 4-stroke engine design has drawn inspiration from racing applications around the world with minimalistic designs, exotic materials and increased power and efficiency. Demand on engines is higher than ever – whether recreational, racing or working – modern engines have a unique appetite for performance inspired oils that offer peak performance, protection from wear and keep them running clean and trouble-free.

Maxima's 4T engine oil line up defines industry leading. Proprietary additive systems and the extensive use of ester synthetics create next generation engine oils. Maxima draws inspiration from the thousands of riders, racers and professional mechanics that have made Maxima the #1 aftermarket oil in the USA Powersports industry. Aggressive development programs and OEM relationships make Maxima the right choice for all brands. Guaranteed performance backed by JASO and API credentials gives the consumer confidence that Maxima is the right choice.



4-STROKE ENGINE OILS



Made In The USA

530MX

100% SYNTHETIC FULL RACE GRADE

100% synthetic triple ester 4T engine oil. Developed on the world's toughest race tracks, 530MX produces more horsepower, increases torque and provides excellent clutch feel. Advanced additives ensure the ultimate in protection for critical engine, transmission and clutch components. High temperature detergents keep your engine running clean and trouble-free, while the ultra shear-stable polymer system maintains constant viscosity, minimizing viscosity loss and clutch fade. There is no better choice for MX racing motorcycles. Exceeds all OEM specifications.

Available in: Liter



530RR

100% SYNTHETIC FULL RACE GRADE

100% synthetic triple ester 4T engine oil. Developed on the world's toughest race circuits, 530RR produces more horsepower, increases torque and provides excellent clutch feel. Advanced additives ensure the ultimate in protection for critical engine, transmission and clutch components. High temperature detergents keep your engine running clean and trouble-free, while the ultra shear-stable polymer system maintains constant viscosity, minimizing viscosity loss and clutch fade. There is no better choice for modern hi-revving road racing motorcycles. Exceeds all OEM specifications.

Available in: Liter



EXTRA

100% SYNTHETIC TRIPLE ESTER

0W-10 • 5W-40 • 10W-40 • 15W-50 • 10W-60

100% synthetic triple ester 4T engine oil. Formulated for street and off-road wet clutch applications. Surface active ester technology lowers operating temperatures, reduces wear, increases film strength and offers extended protection. Regenerative polymer system resists mechanical shearing and heat breakdown of the oil offering exceptional viscosity retention in severe climates. Exceeds all OEM specifications.

API SL/SJ/SH/SG, JASO MA

Available in: Liter/128oz



PRO PLUS+

100% SYNTHETIC ESTER

10W-30 • 10W-40 • 10W-50 • 20W-50

100% synthetic ester fortified 4T engine oil. Formulated to exceed JASO MA2 requirements for 4-stroke engines with integrated wet clutches. Designed to prolong clutch life and provides excellent feel. Surface active chemistry lowers engine temperatures, increases film strength and extends oil drain intervals. Balanced additive system minimizes engine deposits while protecting critical engine, transmission and clutch components. Exceeds all OEM specifications.

API SL/SJ/SH/SG, JASO MA2

Available in: Liter/128oz



SYN BLEND

ESTER BASED SYNTHETIC BLEND

10W-40 • 20W-50

Ester based synthetic blend 4T engine oil. Surface active chemistry lowers engine temperatures, increases film strength and extends oil drain intervals. Balanced additive system minimizes engine deposits while protecting critical engine, transmission and clutch components. Shear-stable polymers resist mechanical breakdown to maintain consistent viscosity. Exceeds all OEM specifications.

API SL/SJ/SH/SG, JASO MA2

Available in: Liter/128oz



PREMIUM

PETROLEUM BASED

5W-30 • 10W-30 • 10W-40 • 20W-50

High quality, petroleum 4T engine oil features proprietary additive system to minimize engine deposits while protecting critical engine, transmission and clutch components. Shear-stable polymers resist mechanical breakdown to maintain consistent viscosity. Motorcycle specific formula designed for use in wet clutch applications. Formulated for street and off-road applications with single and multi-cylinder engines. Exceeds all OEM specifications.

API SL/SJ/SH/SG, JASO MA2

Available in: Liter/128oz




4-STROKE ENGINE OILS

PROFESSIONAL TUNER SERIES

PROPER BREAK-IN OF NEW, RACE & REBUILT ENGINES INCREASES DURABILITY & PERFORMANCE.

Proper engine break-in will produce an engine that achieves maximum power output with the least amount of oil consumption. A new engine should be broken in using specific guidelines during the first few hours. Maxima Break-In Oil should be part of your routine procedure during the initial 2-3 hour run-in time. The focus of breaking in an engine is on the contact between the piston rings of the engine and the cylinder wall. When the piston rings are broken in or seated, combustion gases aren't able to escape the combustion chamber past the piston rings into the crankcase section of the engine. This lack of "blow-by" keeps your engine running cleaner and cooler by preventing hot combustion gases and by-products from entering the crankcase. The tighter the piston rings are set in, the longer an engine is expected to last. Maxima Break-In Oil improves piston ring seal during initial break-in and protects cams and lifters from extreme loads and "welding" caused by severe hot spots.



PREMIUM BREAK-IN PETROLEUM BREAK-IN SPECIFIC OIL 10W-30

Specifically designed for breaking in engines with flat tappet camshafts, roller elements or where elevated levels of anti-wear additives are needed. Advanced technology provides optimum ring seal. Formulated with high levels of zinc and phosphorus in a highly refined, pure petroleum base oil. Complex 2X Zinc structure activates at lower temperatures and offers more protection at elevated temperatures than conventional oils.

- For use in the break-in of engines including Motorcycle, ATV, Side-By-Side, PWC and more.
- Safe for use in wet clutch systems.
- Excellent general purpose dyno oil.
- Compatible with petroleum, semi-synthetic and full synthetic motor oils.
- Delivers long-term benefits to new or rebuilt engines.

Use for unsurpassed protection against critical engine component wear. Fully formulated and perfectly balanced requiring no other additives. Dyno tests show more efficiency in the break-in phase when using Maxima Premium Break-In Oil.

Available in: Liter, 5-Gal Pails & 55-Gal Drums



4-STROKE ENGINE OILS

PWC MARINE 4T **ADVANCED MARINE FORMULA** **10W-40**

Specially formulated to perform in 4-stroke PWC and outboard engines. Formulated with the latest additive technology ensuring a smooth, clean running engine. Surface active chemistry helps protect the engine from extreme pressures, scuffing, runaway temperatures and thermal degradation. Offers outstanding rust and corrosion protection. There is no better choice for 4-stroke watercrafts. Exceeds FC-W specifications.

API SL/SJ/SH/SG

Available in: Liter




ATV PREMIUM 4T **PETROLEUM BASED** **10W-40**

Specially formulated for modern ATVs. Proprietary additive system combines with a shear stable polymer system to provide unsurpassed protection against wear, oxidation, thermal breakdown and viscosity loss. Wet clutch formula offers outstanding fade-free clutch performance. Formulated with the latest technology to keep your engine operating smooth, clean and trouble-free. Exceeds all OEM specifications.

API SL/SJ/SH/SG, JASO MA2

Available in: Liter



SNOWMOBILE 4T **COLD CLIMATE FORMULA** **5W-30**

Specially formulated with a low pour point to perform in cold climates. Advanced additive system contains extreme pressure and anti-wear agents to protect your engine from metal-to-metal contact. Keep your engine running smooth and deposit free. Additional rust and corrosion components protect your engine against wet environments for trouble-free operation.

API SL/SJ/SH/SG

Available in: Liter



SCOOTER 4T **METRO FORMULA** **10W-40**

Specially formulated for modern, free-revving scooters and mopeds. Designed to handle the stresses placed on modern engines defined by constant stop-and-go traffic, excessive idling and fully loaded engine operation. A unique blend of the latest anti-wear additives with an advanced detergent system to keep your engine running smooth and trouble-free in any season. Exceeds all OEM specifications.

API SL/SJ/SH/SG

Available in: Liter



V-TWIN 100% SYNTHETIC **ENGINE OIL** **20W-50**

100% synthetic ester fortified engine oil engineered and approved to be used as a multi-compartment oil for H-D V-Twin engines, transmissions and primaries. Surface active ester technology lowers operating temperatures, reduces wear, increases film strength and offers extended protection. Regenerative polymer system resists mechanical shearing and heat breakdown of the oil offering exceptional viscosity retention in severe climates. Ultra-clean additive package keeps engines clean, protects against sludge and allows for trouble-free operation. Exceeds all OEM specifications.

API SL/SJ/SH/SG

Available in: 32oz



V-TWIN SYNTHETIC BLEND **ENGINE OIL** **20W-50**

Ester based synthetic blend motorcycle oil specifically formulated for V-Twin engines. Surface active ester technology lowers operating temperatures, reduces wear, increases film strength and offers extended protection. An advanced polymer system resists mechanical shearing and heat breakdown of the oil offering unsurpassed viscosity retention. Ultra-clean additive package keeps engines clean, protects against sludge and allows for trouble-free operation. Exceeds all OEM specifications.

API SL/SJ/SH/SG

Available in: 32oz



4-STROKE ENGINE OILS



SXS ENGINE SYNTHETIC 100% SYNTHETIC ENGINE OIL 0W-40 • 5W-50 • 10W-50

100% synthetic ester fortified 4-stroke engine oil. Robust formulation lowers operating temperatures, increases power output and offers unsurpassed engine cleanliness through its proprietary additive system. Formulated with a unique balance of surface active anti-wear and extreme pressure additives with high quality synthetic base oils to ensure smooth, trouble-free operation for extended periods. Shear stable polymers resist mechanical breakdown of the engine oil to maintain consistent viscosity. Exceeds all OEM specifications.

API SL/SJ/SH/SG

Available in: Liter



SXS ENGINE PREMIUM PREMIUM ENGINE OIL 10W-40

High performance, premium 4-stroke engine oil designed for use in modern side-by-side vehicles. A unique balance of surface active anti-wear and extreme pressure additives with ultra-pure petroleum base oil to ensure smooth, trouble-free operation for extended periods of time. Shear-stable polymers resist mechanical breakdown of the engine oil giving excellent stay-in-grade performance. Exceeds all OEM specifications.

API SL/SJ/SH/SG, JASO MA2

Available in: Liter



V-TWIN MINERAL ENGINE OIL 10W-40 • 20W-50 • 25W-60 50WT • 60WT • 70WT

High quality, mineral based oil specifically formulated for V-Twin engines. An advanced polymer system resists mechanical shearing and heat breakdown of the oil offering unsurpassed viscosity retention. Engineered with industry leading anti-wear and extreme pressure additives to protect critical engine components. Superior additive package keeps engines clean, protects against sludge and allows for trouble-free operation. Exceeds all OEM specifications.

API SL/SJ/SH/SG

Available in: 32oz

NOTE: 20W-50 ALSO AVAILABLE IN 128oz



DIABLO OPTIMIZED FOR LOW CC MOTORCYCLES 20W-50

Exclusive blend of high quality mineral base oils and advanced shear stable polymers that assure viscosity stability in extreme high heat and stop-and-go operating conditions. Unique anti-wear additives provide the ultimate protection against engine wear on pistons, valvetrain and gears. Active detergents keep the engine clean, offering smooth, trouble-free performance. Formulated to protect critical engine, transmission and clutch components and to extend engine life.

API SL/SJ/SH/SG, JASO MA2

Available in: Liter

ONLY AVAILABLE IN LATIN AMERICA



4-STROKE ENGINE OILS



HERITAGE CAN'T BE BOUGHT

Maxima revolutionized the industry by introducing Castor 927 in the 70's. 927 is still the #1 selling performance 2-stroke oil in most markets around the world. Proven performance, unbeatable protection and the greatest smelling 2-stroke oil on the planet!

Performance inspired 2-stroke engine oils to meet the demands of modern 2T engine designs. Maxima formulates engine oils for premix racing to DFI applications to offer the most complete line-up of 2-stroke engine oils in the industry. Surface active ester synthetics, pure base oils and clean burn technology work in harmony to increase horsepower, reduce wear and to offer smooth, clean, trouble-free operation in high stress operating conditions.



2-STROKE ENGINE OILS

2-STROKE PERFORMANCE



Made In The USA

CASTOR 927 **PRO SERIES 2T**

Advanced ashless formula blends special castor base with exotic ester synthetics providing the ultimate racing 2T engine oil. Biodegradable formula is fortified with clean burning additives to reduce power valve maintenance, prevents rust & oxidation, eliminates ring sticking and reduces carbon build-up. Generate more horsepower with improved ring seal and significantly lower friction. Premix only.

Available In: 16oz/Liter/64oz



FORMULA K2 **100% SYNTHETIC ESTER**

100% synthetic ester high performance 2T engine oil. High film strength provides superior protection for pistons, cylinder walls, cranks and bearings. Advanced additive system eliminates ring sticking, reduces carbon build-up, prevents rust & oxidation and minimizes power valve maintenance. Suitable for all forms of competition. Safe to use with leaded or unleaded gasoline. Exceeds all OEM specifications. Premix only.

JASO FD, ISO-L-EGD and API TC

Available In: 16oz/Liter/64oz



SCOOTER PRO 2T **SYNTHETIC BLEND**

Smokeless, synthetic blend 2T engine oil specially formulated for scooters and mopeds. Ideal for either gasoline premix or oil injected engines. Eliminates plug fouling, ring sticking and reduces the formation of carbon. Provides excellent anti-scurf, anti-wear and rust & corrosion protection. Exceeds all OEM standards. Premix, injector or autolube.

JASO FD, ISO-L-EGD and API TC

Available in: Liter



SCOOTER 2T **PETROLEUM BASED**

Low smoke, petroleum blend 2T engine oil specially formulated for scooters and mopeds. Ideal for either gasoline premix or oil injected engines. Eliminates plug fouling, ring sticking and reduces the formation of carbon. Provides excellent anti-scurf, anti-wear and rust & corrosion protection. Exceeds all OEM standards. Premix, injector or autolube.

JASO FC and API TC

Available in: Liter



BIO 2T **100% SYNTHETIC ESTER**

Biodegradable high performance 100% synthetic ester 2T engine oil. Unique ashless formula reduces power valve maintenance, prevents rust and corrosion and eliminates ring sticking. Advanced additive system provides unsurpassed high temperature, high speed protection for critical engine components. Extremely clean burning and recommended for use in environmentally sensitive areas. Ratios 24:1 to 60:1 to match engine requirements. Exceeds all OEM specifications. Injector or Premix.

JASO FD, ISO-L-EGD and API TC

Available in: Liter



MARINE PRO **PETROLEUM BASED TC-W3**

Ashless, petroleum based 2T engine oil specifically formulated for personal watercraft and outboard motors. Meets or exceeds all OEM & NMMA TC-W3 specifications. Provides reduced carbon, excellent anti-wear and rust & corrosion protection. Clean burn technology. Safe to use with catalytic converters. Premix, injector or autolube.

NMMA TC-W3

Available in: Liter/128oz



2-STROKE ENGINE OILS

SUPER M
SYNTHETIC BLEND ESTER

Smokeless, low ash ester based synthetic blend 2T engine oil. Designed for use in all high performance 2-stroke engines. Ester synthetics offer high film strength and reduced friction allowing for efficient running engines.

Ultra-clean burn technology prevents ring sticking and keeps pistons and exhaust tracts carbon-free. Exceeds all OEM specifications. Premix only.

JASO FD, ISO-L-EGD and API TC

Available In: 16oz/Liter/64oz



SUPER M INJECTOR
SYNTHETIC BLEND ESTER

Smokeless, low ash ester based synthetic blend 2T engine oil. Ester synthetics offer high film strength and reduced friction allowing for efficient running engines. Ultra-clean burn technology prevents ring sticking and keeps pistons and exhaust tracts carbon-free. Blended with special base stocks designed for use in oil injector and autolube systems. Safe to use with catalytic converters. Exceeds all OEM specifications. Injector or premix.

JASO FD, ISO-L-EGD and API TC

Available In: Liter/128oz



TUNDRA R
SYNTHETIC BLEND ESTER

Smokeless, ashless environmentally friendly ester based synthetic blend 2T engine oil. Specifically formulated for use in high performance snowmobile engines with power valves.

Unique additives provide excellent anti-scuff, anti-wear and rust & corrosion protection. Extremely low pour point of -50°F for cold weather conditions. Exceeds all OEM specifications. Premix, injector or autolube.

JASO FD, ISO-L-EGD and API TC

Available in: Liter/128oz



TUNDRA
SYNTHETIC BLEND

Low smoke, low ash synthetic blend 2T engine oil specifically formulated for use in high performance snowmobiles with power valves. Provides excellent anti-scuff, anti-wear and rust & corrosion protection. Extremely low -45°F pour point for cold weather conditions. Exceeds all OEM specifications. Premix, injector or autolube.

JASO FD, ISO-L-EGD and API TC

Available in: Liter/128oz



PREMIUM2
SYNTHETIC BLEND ESTER

Smokeless, ashless, ultra-clean burning ester based synthetic blend 2T engine oil. Designed for use in applications where constant throttle positions are the norm, such as high performance personal watercraft, snowmobile and outboard motors. Provides exceptional anti-wear and rust & corrosion protection. Safe to use with catalytic converters. Exceeds all OEM requirements. Premix, injector or autolube.

JASO FD, ISO-L-EGD, NMMA TC-W3

Available in: Liter/128oz



OIL MIXING/RATIO CHART

RATIO	OZ. PER 1-GAL	CC PER 1-GAL	OZ. PER 5-GAL	CC PER 5-GAL	CC PER LITER
16:1	8.0	236	40.0	1180	62.5
20:1	6.4	190	32.0	945	50.0
24:1	5.3	157	26.7	790	41.5
28:1	4.6	136	22.8	675	36.0
32:1	4.0	118	20.0	590	31.0
40:1	3.2	95	16.0	475	25.0
50:1	2.6	77	12.8	380	20.0
64:1	2.0	59	10.0	295	15.5
80:1	1.6	47	8.0	235	12.5
100:1	1.3	30	6.4	190	10.0



MAXIMA TRANS-GEAR OILS OFFER MAXIMUM PROTECTION & PERFORMANCE

What drives you? Maxima is driven by offering end users the best performance and protection possible. Transmissions and gearboxes see incredible demands under even normal use with elevated loads, high operating temps and extended drain intervals. Unique designs provide smoother, quieter operation, but pose challenges for the lubricant. Compact units, aggressive cuts on gear teeth and wet clutch systems require specific fluids designed for those applications. Maxima offers a complete line of transmission and gear oils for everyday use to extreme racing conditions. All applications, everyday – SXS, off-road motorcycle and V-Twin.



TRANS-GEAR & CHAINCASE OILS

TRANS-GEAR PROTECTION



Made In The USA

MTL TRANS LUBE
CLUTCH SAVER FORMULA
XL-75WT • R-80WT • E-85WT



Designed for use in 2 & 4-stroke transmissions. Clutch Saver formula provides positive clutch engagement, prevents slippage and keeps wear to an absolute minimum. Exceptional lubrication and wear protection to all critical clutch and transmission components. Safe for use with aluminum and steel clutch plates. Recommended by top clutch manufacturers Hinson and Rekluse.

Available in: Liter



PREMIUM GEAR OIL
PETROLEUM BASED
80W-90

High quality, mineral based gear oil for use in motorcycles & ATVs with shaft drive and hypoid gears. Also for use in motorcycles equipped with separate transmissions and chaincases. Special additives reduce friction providing smoother shifting. Excellent anti-wear and rust & corrosion protection. Exceeds API GL-5 gear lubricant specifications.

Available in: Liter



V-TWIN TRANSMISSION
TRANSMISSION & GEAR OIL 80W-90
V-TWIN HEAVY DUTY
TRANSMISSION & GEAR OIL HD 85W-140

High quality, mineral based motorcycle gear oil. Recommended for use in 4-, 5- and 6-speed high performance gear boxes. High film strength gear oil provides excellent protection against shock loads, viscosity loss and wear. Extreme pressure additives and surface active chemistry allow smooth shifting under peak loads and RPMs. Ultra-clean detergents protect gears from wear, deposits and allow for trouble-free operation. Exceeds API GL-5 specifications.

Available in: 32oz



V-TWIN SPORTSTER
GEAR & CHAINCASE OIL

High quality, mineral based motorcycle gear oil. Recommended for use in 1971 and newer XR and XL H-D motorcycles where transmissions and primary chaincases share a common lubricant. Extreme pressure additives and surface active chemistry protect against shock loads and allow smooth shifting under peak loads and RPMs. Robust formula resists mechanical shearing and heat breakdown of the oil. Ultra-clean detergents protect gears from wear, deposits and allow for trouble-free operation.

Available in: 32oz



SXS TRANS
HIGH PERFORMANCE

Designed for use in modern side-by-side vehicles. Engineered for use in straight-cut gearcases and transmissions. Unique additive system offers ideal friction performance for transmissions and is suitable for use in wet rear brake and transmission/clutch systems. Advanced anti-wear and extreme pressure agents deliver unsurpassed protection for highly loaded gears and contact points, ensuring smooth, trouble-free performance. Fully formulated to protect against wear, foam, rust and corrosion for extended usage periods.

Available in: Liter



SXS GEAR
API GL-5

Designed specifically for hypoid-type differentials found in modern side-by-side vehicles. Offers unsurpassed wear protection on highly loaded contact points within the vehicle's drivetrain. Outstanding shock load protection for off-road applications. Ultra-shear stable polymer system combats viscosity loss and improves oil thickness on the gear interface and protects beyond conventional fluids. Exhibits excellent anti-foam properties and protects against rust & corrosion beyond typical usages, continuing its protection during storage periods.

Available in: Liter



TRANS-GEAR & CHAINCASE OILS

SYN GEAR OIL
100% ESTER BASED SYNTHETIC
75W-90

Advanced 100% ester based synthetic gear oil for use in motorcycles & ATVs with shaft drive and hypoid gears. Also for use in motorcycles equipped with separate transmissions and chaincases. Reduced friction provides smoother shifting. Exceptional anti-wear and rust & corrosion protection. Synthetic oil allows for extended service intervals. Exceeds API GL-5 gear lubricant specifications.

Available in: Liter



SCOOTER GEAR OIL
80W-90 GL-5

Specially designed for the hard working conditions of scooter and moped transmissions. Superior lubricating properties withstand successive full speed starts and stops in city driving conditions. Good oil film retention for various driving conditions, idle, sharp accelerations and full power. Extreme pressure and anti-wear additives extend gear set life. Excellent anti-corrosion, anti-oxidation and anti-foam characteristics.

- For both 2T and 4T applications
- Mineral based gear oil
- For use where 90WT gear or 30WT motor oil is recommended

Available in: 150ml Tubes (5.07 fl oz)



V-TWIN SYN PRIMARY
100% SYNTHETIC

100% synthetic motorcycle gear oil formulated for high performance transmissions and primary chaincases. Designed for use in all 1984 and newer H-D® models with wet diaphragm spring clutches. High film strength gear oil provides excellent protection against shock loads, wear and offers smooth shifting under peak loads and RPMs. Robust formula resists mechanical shearing and heat breakdown and protect gears from wear, deposits for trouble-free operation.

Available in: 32oz



V-TWIN PRIMARY
PRIMARY FLUID

High quality, mineral based motorcycle gear oil formulated for high performance transmissions and primary chaincases. Designed for use in all 1984 and newer H-D® models with wet diaphragm spring clutches. High film strength gear oil provides excellent protection against shock loads, wear and offers smooth shifting under peak loads and RPMs. Robust formula resists mechanical shearing and heat breakdown and protect gears from wear, deposits for trouble-free operation.

Available in: 32oz



CHAINCASE
100% SYNTHETIC
75W-140

100% synthetic formulation specifically designed for low temperature flow while providing outstanding lubrication to highly loaded chains & sprockets with minimum power loss. Also contains special rust and corrosion inhibitors.

Available in: 16oz



CONVERSION CHART
GEAR OIL VS. ENGINE OIL

Many owner's manuals spec 10W-40 engine oil for use in motorcycle gear boxes. Maxima MTL is available in 75, 80 & 85WT. Keep these points in mind and use this cross reference chart when making your buying decision:

- 1) Gear oil viscosity is taken at 40°C
- 2) Engine oil viscosity is taken at 100°C

GEAR OIL	ENGINE OIL	IDEAL USE
75WT	30WT ENGINE OIL (E.G., 5W-30 OR 10W-30)	50cc – 125cc
80WT	40WT ENGINE OIL (E.G., 10W-40 OR 20W-40)	125cc – 500cc MOST POPULAR WEIGHT
85WT	50WT ENGINE OIL (E.G., 15W-50 OR 20W-50)	DESERT AND ENDURO



ZERO FADE FORMULAS PUT A DAMPER ON THE COMPETITION

Suspension tuning is critical for proper handling and ride comfort. One of the most important aspects of a proper tune is the fluid the fork or shock is serviced with. High performance suspension fluids play a role in controlling rebound and damping. This insures your wheels hug the ground to transfer engine power to propel you forward. Replicate this scenario a thousand times over each ride and you'll quickly understand the importance of maintaining consistent fluid dynamics over extended periods of time. When suspension fluids breakdown, so does the handling of your equipment. Insure your ride is the best experience possible by using high quality Maxima suspension fluids.



SUSPENSION FLUIDS & OILS

ZERO FADE PERFORMANCE



Made In The USA



SYN RACING SHOCK FLUID
100% SYNTHETIC
LIGHT 3WT

100% synthetic ester shock fluid. Formulated to withstand extreme temperatures and loads. Blended to the tight specifications required by racing professionals. Ultra-clean additive system ensures clean, trouble-free operation over extended usage periods. Regenerative synthetic polymers resist mechanical sheering and viscosity breakdown, offering the ultimate protection and film strength. Extremely high viscosity index over 350+ minimizes the rate of viscosity change and volumetric expansion under high temperatures. Active chemistry controls foam and wear. Compatible with petroleum and synthetic suspension fluids.

Available in: 32oz



RACING SHOCK FLUID
ZERO FADE FORMULA
LIGHT 3WT • MEDIUM 7WT • HEAVY 10WT

Formulated with special slippery agents that reduce friction and eliminate stiction. Ultra-clean additive system ensures clean, trouble-free operation over extended usage periods. Regenerative synthetic polymers resist mechanical sheering and viscosity breakdown, offering the ultimate protection and film strength. Extremely high viscosity index over 350+ minimizes the rate of viscosity change under high temperatures. Active chemistry controls foam and wear. Compatible with petroleum and synthetic suspension fluids.

Available in: 32oz



SUSPENSION FLUIDS & OILS



RACING FORK FLUID
ANTI-STICTION FORMULA
5WT • 7WT • 10WT • 15WT

Specially formulated for all high performance cartridge and standard-type forks. Custom blended slippery agents provide uniform fork action and eliminate stiction. Regenerative synthetic polymers offer a high viscosity index (190+) that resists mechanical sheering and viscosity breakdown, offering the ultimate protection and film strength. Ultra-clean additive system conditions seals and ensures clean, trouble-free operation over extended usage periods.

Available in: Liter



V-TWIN FORK OIL
5WT H-D TYPE E, 10WT H-D TYPE B
& 20WT H-D TYPE HD

Premium quality, ultra-pure base oils and surface active additives that provide excellent lubricity, control foaming and protect the suspension system against corrosion. Special Lubricinol™ formula conditions seals, protects moving parts and reduces stiction to enhance fork performance over a wide operating temperature range. Advanced detergents provide ultra-clean operation and protect suspension systems from wear, deposits and allow for trouble-free operation.

Available in: 32oz



FORK OIL
CARTRIDGE & CONVENTIONAL FORKS
5WT • 10WT • 15WT • 20WT

Premium quality, ultra-pure base oils and surface active additives that provide excellent lubricity, control foaming and protect the suspension system against corrosion. Special Lubricinol™ formula conditions seals, protects moving parts and reduces stiction to enhance fork performance over a wide operating temperature range. Advanced detergents provide ultra-clean operation and protect suspension systems from wear, deposits and allow for trouble-free operation.

Available in: 16oz/Liter





MAXIMA RACING OILS LEADS THE INDUSTRY WITH ITS AEROSOL LINE

With top selling products in all categories, it's hard to overlook the strength of Maxima's aerosol line. Our wide aerosol product line offers award winning SC1 high gloss coating – with seemingly endless possibilities – to the #1 selling chain lube in the market, Maxima Chain Wax.

SC1 MAKES THE WORLD SHINY

Restores factory shine in seconds. For use on plastic, rubber, carbon fiber and painted surfaces. High gloss shine provides excellent mud deflection and repels water.

OUR AEROSOLS OUTSHINE



Made In The USA



**SC1 MAKES
THE WORLD SHINY**



**SPEED WAX
SPEED DETAILER**



JOSH GRANT HITN CO. SUZUKI

**CLEAN UP UNLEASHES
HORSEPOWER**

YAMAHA
RACING OILS **AEROSOLS**

SC1 **HIGH GLOSS COATING**

A factory mechanic's best kept secret for bringing tattered equipment back to life. Advanced formula blends conditioners with color enhancers to produce a brilliant shine. Easy application – can be sprayed on surface and left wet or buffed to a dry sheen. Wet application helps prevent mud from accumulating on surface. Restore the showroom shine in one easy application. Ride, clean and SC1 your ride to keep it working and looking its best.

Available in: 12oz



SPEED WAX **PROFESSIONAL FORMULA**

An all-in-one detailer that conditions, shines and protects painted surfaces, chrome, anodizing, windscreens and plastic. Advanced formula blends conditioners with color enhancers to produce a brilliant shine. Easy application and removal – designed to minimize effort and maximize shine – the quickest way to detail your ride. Soothing wax sets up quickly and easily wipes from smooth surfaces. A single application is all it takes.

Available in: 15.5oz



SUSPENSION CLEAN **SPECIALTY CLEANER**

Specifically formulated for the Powersports industry professional. Unique formula quickly and easily cleans suspension internally and externally leaving a dry, residue-free surface. Professional formula integrates strong industrial cleaners with a powerful spray. Displaces moisture. Overspray will not harm O-rings or most seal materials. User Friendly Scent.

Available in: 13oz



ELECTRICAL CONTACT CLEANER **CITRUS SCENTED**

Citrus scented, heavy duty aerosol cleaner is a blend of special cleaning agents that displace moisture and remove grease, oil and other contaminants. Extra heavy propellant charge provides maximum spray pressure for hard to reach areas. Outstanding for use on ignitions, spark plugs, electrical components or when a fast drying cleaner is needed. Non-caustic, No CFC's.

Available in: 13oz



CLEAN UP **CHAIN CLEANER**

Heavy duty, emulsion-type cleaner designed to thoroughly clean chains without harming rubber O-rings or metal surfaces. Outstanding performance on aluminum. Quickly dissolves and removes hard to clean buildup on your chains. Stop robbing horsepower. For best results, use CleanUp with your routine maintenance.


Available in: 15.5oz



MPPL **MULTI-PURPOSE PENETRANT LUBE**

A superior, all-purpose spray-on penetrating lubricant. Provides a light lubrication and excellent barrier against rust & corrosion. Great for displacing moisture or loosening corroded nuts and bolts. Film forming protectant for metal surfaces and will not harm plastic or painted surfaces. Excellent fogging oil and starting fluid for engines.

Available in: 14.5oz



AEROSOLS

BEST CHAIN LUBE IN POWERSPORTS

PEOPLE'S CHOICE AWARD



AIR FILTER CLEANER SPRAY-ON AIR FILTER CLEANER RATED #1 - BEST ON THE MARKET

Heavy duty, emulsion-type cleaner designed to thoroughly clean both foam and fabric air filters without damaging foam cells, paper or glue. Removes oil and dirt from air filter elements and easily washes out with water. Rated #1 by Dirt Rider magazine.

Available in: 15.5oz



FAB-1 SPRAY ON FILTER OIL

Advanced spray-on synthetic filter treatment provides unequalled protection against the elements. Unlike other filter oils, time proven formula will not plug foam cells or migrate off of filters. Protective coating catches dirt and fine dust without restricting airflow. Dyed dark blue to ensure even coverage on all surface areas inside and out. Resists washout from carburetor fogging. May be used on foam and fabric filters. Water-resistant. The ultimate air filter oil.

Available in: 13oz



AIR FILTER CARE KIT FEATURING MAXIMA AIR FILTER CLEANER & FAB-1

A clean and perfectly oiled air filter provides maximum airflow and increased horsepower. Maxima Air Filter Cleaner is a heavy duty emulsion-type cleaner designed to thoroughly remove oil and dirt. FAB-1 spray-on synthetic air filter oil (same proven formula as FFT) provides unequalled protection against the elements. FAB-1's protective coating catches dirt and dust without restricting airflow.

- Heavy duty, emulsion-type cleaner
- For both foam & fabric filters
- Will not damage foam, paper or glue
- Easily washes out with water

2 PACK CONTAINS: Maxima Air Filter Cleaner 15.5oz and FAB-1 spray-on air filter oil 13oz



AEROSOLS & AEROSOL COMBO KITS

CHAIN WAX
AMERICA'S #1 MOTORCYCLE
CHAIN LUBRICANT

Often imitated - Never duplicated. America's #1 chain lubricant. High performance chain lubricant for X, Z and O-ring chains. Exclusive Parafilm™ formula sprays on as a liquid, penetrates and then sets up as a soft waxy film, creating an excellent lube that protects the chain from the elements. Outstanding rust & corrosion protection. Will not fling off or attract dirt. For street & off-road use.


Available In: 5.5oz /13.5oz



SYNTHETIC CHAIN GUARD
100% SYNTHETIC ESTER

100% synthetic, clear motorcycle chain lube. Advanced additives allow lube to penetrate critical inner pins and rollers, lubricating and protecting them from friction, shock load and high temperatures. Protective boundary guards chain against rust & corrosion while super clean formula minimizes the attraction of dirt. Special tackifiers resist fling off. For street & off-road use. Safe for use on X, Z and O-ring chains.

Available in: 6oz /14oz



THE ULTIMATE CHAIN CARE KIT FEATURING CHAIN WAX
AS PRESCRIBED BY MOTOCROSS ACTION MAGAZINE

CleanUp, MPPL and Chain Wax are a winning combination proven to increase horsepower and extend chain and sprocket life. Maxima CleanUp is an emulsion-type degreaser excellent for removing built up grime from chains and easily washes out with water. MPPL (Multi-Purpose Penetrant Lube) is a superior, all-purpose spray-on penetrating lube that provides an excellent barrier against rust & corrosion and is an effective moisture displacer. Chain Wax is America's #1 chain lubricant. Exclusive Parafilm™ formula sprays on as a liquid, penetrates and then sets up as a soft waxy film, creating an excellent lube that protects the chain from the elements. Outstanding rust & corrosion protectant. Will not fling off or attract dirt. For street & off-road use.

3 PACK CONTAINS: CleanUp 15.5oz, MPPL 14.5oz and Chain Wax 13.5oz

INCREASE HORSEPOWER, EXTEND CHAIN & SPROCKET LIFE!
A fast, easy and effective way to maintain your bike's driveline with
The Ultimate Chain Care Kit from Maxima.




THE ULTIMATE CHAIN CARE KIT FEATURING CHAIN GUARD
AS PRESCRIBED BY MOTOCROSS ACTION MAGAZINE

CleanUp, MPPL and Synthetic Chain Guard are a winning combination proven to increase horsepower and extend chain and sprocket life. Maxima CleanUp is an emulsion-type degreaser excellent for removing built up grime from chains and easily washes out with water. MPPL (Multi-Purpose Penetrant Lube) is a superior, all-purpose spray-on penetrating lube that provides an excellent barrier against rust & corrosion and is an effective moisture displacer. Synthetic Chain Guard's crystal clear formula resists fling off. Advanced technology allows lube to penetrate critical inner pins and rollers, lubricating and protecting them from friction, shock load and high temperatures. Protective boundary guards chain against rust & corrosion while super clean formula minimizes the attraction of dirt. For off-road & street use.

3 PACK CONTAINS: CleanUp 15.5oz, MPPL 14.5oz and Syn Chain Guard 14oz

INCREASE HORSEPOWER, EXTEND CHAIN & SPROCKET LIFE!
A fast, easy and effective way to maintain your bike's driveline with
The Ultimate Chain Care Kit from Maxima.



AEROSOLS & AEROSOL COMBO KITS

V-TWIN SPECIFIC PERFORMANCE



V-TWIN SPECIFIC ENGINE, GEAR & SUSPENSION OILS



Made In The USA



THE MOST COMPREHENSIVE SIDE-BY-SIDE SPECIFIC LINE-UP

Maxima offers a high performance line of oils specifically designed for your SXS. Modern Side-By-Sides produce more horsepower than ever, putting added strain on critical engine, trans and gearbox components. Maxima protects your SXS while at the same time getting the most out of it.



SIDE-BY-SIDE SPECIFIC ENGINE, TRANSMISSION & GEAR OILS

PURPOSE BUILT FORMULAS

MANUFACTURER	MODEL	ENGINE OIL	TRANS OIL	FRONT DIFFERENTIAL OIL	REAR DIFFERENTIAL OIL
ARCTIC CAT	WILDCAT, PROWLER & PROWLER HDX	SXS ENGINE 10W-40 SXS FULL SYN 0W-40 SXS FULL SYN 5W-50	CVT (N/A)	SYN GEAR 75W-90 API GL-5 SXS GEAR 80W-90 API GL-5	SYN GEAR 75W-90 API GL-5 SXS GEAR 80W-90 API GL-5
BRP CAN-AM	COMMANDER & MAVERICK	SXS ENGINE 10W-40 SXS FULL SYN 0W-40 SXS FULL SYN 5W-50	SYN GEAR 75W-90 API GL-5 SXS GEAR 80W-90 API GL-5	SYN GEAR 75W-90 API GL-5 SXS GEAR 80W-90 API GL-5	SYN GEAR 75W-90 API GL-5 SXS GEAR 80W-90 API GL-5
HONDA	PIONEER	PROPLUS+ 10W-30 SXS ENGINE 10W-40 SXS FULL SYN 0W-40	WET CLUTCH (ENGINE OIL) N/A	SYN GEAR 75W-90 API GL-5 SXS GEAR 80W-90 API GL-5	SYN GEAR 75W-90 API GL-5 SXS GEAR 80W-90 API GL-5
KAWASAKI	TERYX, TERYX4 & MULE	SXS ENGINE 10W-40 SXS FULL SYN 0W-40 SXS FULL SYN 5W-50	CVT (N/A)	SXS ENGINE 10W-40 SXS FULL SYN 0W-40 SXS FULL SYN 5W-50	SXS TRANS (WET BRAKE)
POLARIS	RANGER, RZR, RZR4, 900, 1000 & TURBO	SXS ENGINE 10W-40 SXS FULL SYN 0W-40 SXS FULL SYN 5W-50 PROPLUS+ 10W-50 "EXTREME DUTY"	SXS TRANS *2010 & NEWER XP900/1000 USE SXS GEAR OIL 80W-90 API GL-5*	SXS TRANS	SYN GEAR 75W-90 API GL-5 SXS GEAR 80W-90 API GL-5
YAMAHA	RHINO	SXS ENGINE 10W-40 SXS FULL SYN 0W-40 SXS FULL SYN 5W-50	WET CLUTCH (ENGINE OIL) N/A	SYN GEAR 75W-90 API GL-5 SXS GEAR 80W-90 API GL-5	SYN GEAR 75W-90 API GL-5 SXS GEAR 80W-90 API GL-5
	VIKING	SXS ENGINE 10W-40 SXS FULL SYN 0W-40 SXS FULL SYN 5W-50	CVT (N/A)	SYN GEAR 75W-90 API GL-5 SXS GEAR 80W-90 API GL-5	SYN GEAR 75W-90 API GL-5 SXS GEAR 80W-90 API GL-5
	YZZ	SXS ENGINE 10W-40 SXS FULL SYN 0W-40 SXS FULL SYN 5W-50	WET CLUTCH (ENGINE OIL) N/A	SYN GEAR 75W-90 API GL-5 SXS GEAR 80W-90 API GL-5	SYN GEAR 75W-90 API GL-5 SXS GEAR 80W-90 API GL-5



Made In The USA

BIO WASH
BIODEGRADABLE FORMULA

Biodegradable all-purpose cleaner. Fast acting cleaning agents lift away dirt while scrubbing grime and oil based deposits. Specially engineered surfactants, lower surface tension allowing better penetration and wetting of soils. Tough on dirt, yet gentle enough to use on delicate surfaces including paint, plastic, chrome, anodizing, rubber, carbon fiber and almost anything you throw at it. Safely and easily clean your equipment.

Advanced micro chemistry protects aluminum, magnesium and other alloys. Contains no harmful acids, CFC's or solvents. 50 State VOC compliant.

User friendly formula cleanly washes from the surface. Be a responsible downstream user – Eco friendly formula is non-toxic and biodegradable.

- Fully Biodegradable, Eco Friendly Formula
- Advanced Micro Chemistry
- Powerful Cleaning Action on Dirt & Oil
- Gentle Enough for Everyday Use
- Professional Strength
- Special Additives Protect Aluminum, Magnesium and Other Alloys
- Safe on Paint, Plastic, Carbon Fiber, Rubber and Alloys

Available in: 1 Liter Spray Bottle



AIR FILTER CLEANER
CLEANS FOAM & FABRIC AIR FILTERS
READY-TO-USE

Heavy duty emulsion-type cleaner designed to thoroughly clean both foam and fabric air filters without damaging foam cells, paper or glue. Removes oil and dirt from air filter elements and easily washes out with water.

Available in: 64oz



FFT
FOAM FILTER TREATMENT

Race proven synthetic foam filter treatment provides unequalled protection against the elements. Unlike other foam filter oils, FFT's time proven formula will not plug foam cells or migrate off of filters. Protective coating catches dirt and fine dust without restricting airflow. Dyed dark blue to ensure even coverage on all surface areas inside and out. Resists washout from carburetor fogging. Water-resistant. The ultimate air filter oil.


Available in: 16oz/32oz



AIR FILTER CLEANER
SPRAY-ON AIR FILTER CLEANER
RATED #1 - BEST ON THE MARKET

Heavy duty emulsion-type cleaner designed to thoroughly clean both foam and fabric air filters without damaging foam cells, paper or glue. Removes oil and dirt from air filter elements and easily washes out with water.

Available in: 15.5oz



FAB-1
SPRAY ON FILTER OIL

Advanced spray on synthetic filter treatment provides unequalled protection against the elements. Unlike other filter oils, Fab-1's time proven formula will not plug foam cells or migrate off of filters. Protective coating catches dirt and fine dust without restricting airflow. Dyed dark blue to ensure even coverage on all surface areas inside and out. Resists washout from carburetor fogging. May be used on foam and fabric filters. Water-resistant. The ultimate air filter oil.

Available in: 13oz





COOL UNDER EXTREME HEAT

COOLANOL HIGH PERFORMANCE COOLANT

Premixed ready-to-use 50/50 blend of premium antifreeze and deionized water packaged in a convenient size. Custom blended antifreeze contains additives to protect your cooling system against cavitation, foaming, rust, corrosion and provides lubrication to the water pump and seals. Specially designed formula for use in aluminum and magnesium engines. Suitable for use in all liquid cooled Powersports engines, including motorcycles, ATVs and side-by-sides.

Available in: 64oz

COOLANOL IS THE CLEAR WINNER WHEN IT COMES TO ALL WEATHER PERFORMANCE!

FREEZE POINT -34°F	MAXIMA COOLANOL	BOILING POINT 265°F
FREEZE POINT -26°F	LEADING COMPETITOR	BOILING POINT 256°F

NOTE: TEMPERATURES USING A STANDARD 15 PSI RADIATOR CAP



COOL-AIDE RACING COOLANT & ADDITIVE

Formulated to reduce engine temperatures and provide significantly better contact on heated surfaces allowing for greater and more efficient heat transfer. Cool-Aide comes in two forms: 64oz. Ready-to-Use bottle that requires no mixing or blending and in a powerful 16oz. Concentrate. Cool-Aide mixes with water and antifreeze. Cool-Aide is for race use and does not offer freeze protection. Approved for race use on paved surfaces.

Available in: 16oz Concentrate & 64oz Ready-to-Use

COOL-AIDE HOLDS UP TO THE HEAT HEAT BREAKS DOWN CHEMISTRY. COOL-AIDE HAS SHOWN TO BE MORE RESISTANT TO BREAKDOWN OVER EXTENDED HEAT CYCLES THAN LEADING COMPETITORS. RUN COOLER, LONGER.



MAINTENANCE PRODUCTS

HI TEST OCTANE BOOSTER

Safeguard your engine against the potentially destructive results of detonation. One ounce per gallon effectively raises octane approximately 2 to 4 points. Legal for all racing applications. Will not discolor plastic gas tanks. Sold in special child resistant packaging.

Available in: 16oz



FUEL DE-ICER EXTREME CONDITIONS

Great for snowmobiles, watercraft, ATVs, motorcycles and cars. Works like a sponge to eliminate moisture from fuel systems. Improves fuel flow at extreme low temperatures and helps prevent fuel line freeze up in snowmobiles. Add 4oz. per 5-gallons of fuel. Safe for all fuel systems. Does not contain methanol.


Available in: 8oz



WATERPROOF GREASE HI-TEMP, TACKY FORMULA

Multi-purpose lithium complex grease. Excellent resistance to water washout and clings to metal surfaces under the most severe conditions. Use on all motorcycle, ATV, PWC, trailer and snowmobile components. Saltwater resistant. Provides excellent protection against high loads, extreme temperatures, moisture, rust & corrosion. Very high temperature grease suitable for disc brake applications.

Available in: 16oz



ASSEMBLY GREASE ADVANCED PROTECTION

Specially formulated to protect highly loaded, critical engine components during engine assembly and break-in. Designed to stay in place, eliminating migration off of parts during assembly and storage. High levels of anti-wear (zinc) and extreme pressure agents provide excellent protection for all metal surfaces during initial engine break-in. Next generation additives preserve metals from corrosion during storage. Assembly Grease completely dissolves in petroleum and synthetic engine oils.

Available in: Tube



SYN DOT 4 600 SERIES SYNTHETIC RACING BRAKE FLUID

Racing DOT 4 brake fluid offers an extremely high 600°F+ boiling point for high performance applications. Recommended for all US, UK, Japanese and European brake systems. Exceeds current SAE J1704 and FMVSS 116 DOT 4 specifications. Typical Boiling Point: Dry/625°F, Wet/385°F. Compatible with DOT 3, 4 and 5.1 brake fluids.


Available in: 12oz



DOT 4 PERFORMANCE BRAKE FLUID

DOT 4 brake fluid meets and exceeds all OEM specifications for glycol based fluids. Recommended for all US, UK, Japanese and European brake systems. Exceeds current SAE J1704 and FMVSS 116 DOT 4 specifications. Typical Boiling Point: Dry/485°F, Wet/330°F. Compatible with DOT 3, 4 and 5.1 brake fluids.

Available in: 12oz



MAINTENANCE PRODUCTS

FUEL STABILIZER

PROTECTS AGAINST ETHANOL CORROSION

Prevents the deterioration of fuel and stops the formation of gum and varnish in the fuel system and storage cans. Eliminates the need to drain or dispose of fuel over long storage periods. Works with both gasoline and diesel fuels. Doubles as an effective corrosion inhibitor for ethanol containing fuels.

Available in: 8oz/32oz



QUICK 2 MIX

YOUR LIFE JUST GOT A LITTLE EASIER

This tough polypropylene graduated cylinder takes the work out of premixing. Convenient design allows for ease of measuring at various ratios. Provides gallon, liter, ounce and cc markings for accurate measurements. Quick 2 Mix comes complete with lid to aid in keeping your next mix dust and contaminant free.

Available in: Capacity 20oz




ASSEMBLY LUBE

PROFESSIONAL GRADE 2X ZINC FORMULA

Specialty, film forming lubricant designed to protect moving components and wear surfaces during assembly and initial break-in. Prevents metal-to-metal contact and offers excellent rust and corrosion protection during long service periods and storage. Fully formulated with high levels of anti-wear & extreme pressure additives and surface active chemistry to reduce friction. 2X Zinc activates at both high and low operating temps providing unsurpassed protection. Non-foaming. Completely mixes with engine oil.

Available in: 4oz Bottle



SG-920 SEAL GREASE

SMOOTH GLIDE TECHNOLOGY LIGHTWEIGHT FORMULA

Specially formulated to reduce friction, producing a smooth butter-like action to moving surfaces. Excellent for use on fork and shock seals during break-in and as a light assembly grease. Designed to stay in place and to eliminate stiction. Fully formulated offering excellent anti-wear and extreme pressure protection for all metal surfaces. Next generation additives preserve metals from corrosion during storage.

Available in: 1oz Jar




DOT 5

SILICONE BRAKE FLUID

DOT 5 Silicone based fluid should be used where a silicone based fluid is specified. Recommended for use where moisture contamination is high or in custom vehicles where incidental contact of brake fluid can damage finishes. Not compatible DOT 3 or 4 brake fluid or anti-lock brake systems. Exceeds current SAE J1704 and FMVSS 116 DOT 5 specifications. Typical Boiling Point: Dry/500°F, Wet/356°F.

Available in: 11oz



PAILS & DRUMS

5-GALLON PAILS & 55-GALLON DRUMS

Most of Maxima's products are available in 5-gallon pails and 55-gallon drums. The 5-gallon pails are packed in a heavy duty box for easier and less costly UPS shipping. The economical plastic pump fits on all Maxima 5-gallon pails and 55-gallon drums. Both larger size containers offer the consumer exceptional price points.



MAINTENANCE PRODUCTS



79 MC CLUB
BLACK



79 MC CLUB
HEATHER INDIGO



MAXIMA LOGO
BLACK



MAXIMA LOGO
HEATHER GREY



CLASSIC POLO
BLACK



MAXIMA BOLT
HEATHER BLACK




MAXIMA BOLT
LIGHT GREY



M SQUARED
BLACK



M SQUARED
SAND DISTRESSED



79 MC CLUB HOODIE
MEN'S BLACK




M SQUARED BLACK
210 FITTED



M SQUARED GREY
210 FITTED



M SQUARED BLACK
MESH CLASSIC SNAPBACK



79 MC CLUB HOODIE
WOMEN'S GREY



79 MC CLUB GREY
WOOL CLASSIC SNAPBACK



MAXIMA LOGO BLACK
THE ORIGINAL FLEXFIT



MAXIMA LOGO RED
THE ORIGINAL FLEXFIT



RACE CANOPY 10' X 15'

Premium quality race canopy featuring Maxima logos. Powder coated black frame. Tops also available separately.

DISPLAY RACKS
5 SHELF FLOOR DISPLAY
2 SHELF COUNTER DISPLAY
Get organized and realize increased sales with these Maxima displays.
• Heavy-duty 5 shelf floor rack
• Convenient 2 shelf P.O.P. counter model
Help keep your Maxima product moving out the door.



PROMOTIONAL PRODUCTS



PROFILTER HIGH PERFORMANCE AIR & OIL FILTERS

Designed to protect off-road motorcycles, ATVs and SXS. A full range of products including industry leading ready-to-use, pre-oiled air filters, providing value to those looking for quick and easy maintenance on the trail or in the garage. Increase horsepower, oil flow and eliminate wear with premium ProFilter oil filters, covers and two different air filter designs.

PROFILTER™ WORLD CHAMPIONSHIP PERFORMANCE

RACE PROVEN WORLDWIDE



**2015 FIM MX2
WORLD CHAMPION**

Tim Gajser



Designed In The USA



PROFILTER READY-TO-USE AIR FILTERS

READY-TO-USE

PRE-OILED WITH MAXIMA FFT™



PROFILTER PRE-OILED, DISPOSABLE AIR FILTERS

READY-TO-USE, READY-TO-RACE


A new perfectly oiled ProFilter air filter provides maximum airflow and increased horsepower. Ready-to-Use air filters are constructed of dual-layer, reticulated foam. Reticulation is a process that opens up the foam cells, allowing for increased air flow and horsepower. The dual foam layers differ in foam pore size – the innermost foam consists of a more dense foam to catch fine particles of sand and powder, whereas the outermost foam is constructed of a more open pore matrix allowing for filtration of larger micron dirt particles. The open porosity of the outer foam also helps the air filter resist plugging. Air filter seams are welded with industrial strength adhesive and all filters come with a rubber grommet to help secure the filter in place to the cage, eliminating tearing and keeping the structural integrity of the filter intact. When you get ready to change your filter, choose ProFilter.

PRE-OILED DUAL-STAGE FOAM AIR FILTER LOADED WITH FEATURES!

READY-TO-USE FILTER FEATURES

- Pre-Oiled with MAXIMA FFT™
- Dual-Stage Open Cell Foam Matrix
- Plush 13mm Sealing Foam
- Dyno Tested, Race Approved
- Disposable Gloves Included
- Affordable, Disposable Air Filters

MOTORCYCLE, ATV & SIDE-BY-SIDE APPLICATIONS




READY-TO-USE AIR FILTERS



PROFILTER PREMIUM AIR FILTERS

DYNO TESTED AND RACE PROVEN!



PROFILTER DUAL-STAGE PREMIUM AIR FILTERS WASH AFTER WASH, READY-TO-RACE


Dual-stage, long life, Premium Air filters are made of chemical resistant, high quality polyester based foam. Heat laminated, dual-stage design allows for superior filtration by eliminating the passage of fine dirt and dust, while helping to prevent air flow blockage. Special reticulation process offers unsurpassed air flow and filtration. Permabond ultra-high strength seams increase the integrity of the filters wash after wash. Packaged individually in a re-sealable bag.

PREMIUM, LONG LIFE, DUAL-STAGE AIR FILTER LOADED WITH FEATURES!

PREMIUM FILTER FEATURES

- Reusable Long Life Air Filter
- Chemical Resistant, Polyester Based Foam
- 15mm High Flow Filtering Thickness
- Heat Laminated, Dual-Stage, Reticulated Foam
- Permabond Ultra-High Strength Seams
- Low Profile Rubber Grommet
- Plush 13mm Sealing Foam
- Re-Sealable Polybag

MOTORCYCLE, ATV & SIDE-BY-SIDE APPLICATIONS



PREMIUM AIR FILTERS

STAINLESS STEEL OIL FILTER

Protect the oil that protects your investment by running a ProFilter Stainless Steel oil filter. Built from the finest materials - our stainless steel oil filters are built to last long after standard oil filters.

- Swiss Made Stainless Steel Micronic Filter Cloth
- Clean And Reuse
- Filters Particles As Small As 35 Microns
- Increased Flow
- Billet Aluminum End Caps
- For Use With Synthetic Or Petroleum Based Oils
- Exceeds All OEM Specifications

MOTORCYCLE, ATV & SIDE-BY-SIDE APPLICATIONS



OEM REPLACEMENT OIL FILTER

When you get ready to change your oil filter, change to a ProFilter OEM Replacement oil filter. Our OEM Replacement oil filters are built to exacting standards and exceed all OEM specifications.

- High Strength And Dimensional Stability
- Consistant Flow Rates
- For Use With Synthetic Or Petroleum Based Oils
- Exceeds All OEM Specifications

MOTORCYCLE, ATV & SIDE-BY-SIDE APPLICATIONS




PROFILTER HAS YOU COVERED

BILLET ALUMINUM OIL FILTER COVERS

Billet Oil Filter Covers are engineered to increase oil flow, helping to cool hot running 4-stroke engines. Built from military grade materials - these billet covers stand up to the test.

- CNC Machined 6061-T6 Billet Aluminum
- 3D CAD Design For Increased Flow Rates
- Sub-surface Anodized Finish
- Lightweight & Durable
- Precision Fit, Available For Most Popular Models
- Exceeds All OEM Specifications



3D CAD DESIGN FOR INCREASED FLOW RATES AND PRECISION FIT.



PROFILTER OIL FILTERS & BILLET OIL FILTER COVERS



23 MARTIN DAVALOS
ROCKSTAR SUZUKI


1 **JOSH STRANG**
FMF MAKITA SUZUKI OFF-ROAD



APPLICATIONS FOR MOTORCYCLE, ATV & RUV'S



PREMIUM, DUAL-STAGE, LONG LIFE AIR FILTER... LOADED WITH FEATURES



PROFILTER™ PREMIUM AIR FILTERS



PROFILTER DUAL-STAGE PREMIUM AIR FILTERS WASH AFTER WASH, READY-TO-RACE

ProFilter dual-stage, long life, Premium Air filters are made of chemical resistant, high quality polyester based foam. Heat laminated, dual-stage design allows for superior filtration by eliminating the passage of fine dirt and dust, while helping to prevent air flow blockage.

Special reticulation process offers unsurpassed air flow and filtration. Permabond ultra high strength seams increase the integrity of the filters wash after wash. Packaged individually in a re-sealable bag.

Used & Endorsed By

ROCKSTAR
ENERGY DRINK
SUZUKI

FMF
Trakita
SUZUKI
OFF-ROAD TEAM

PREMIUM FILTER FEATURES

- Reusable long life air filter
- Chemical resistant, polyester based foam
- 15MM high flow filtering thickness
- Heat laminated, dual-stage, reticulated foam
- Permabond ultra high strength seams
- Low profile rubber grommet
- Plush 13mm sealing foam
- Re-sealable poly bag



SEE PAGE 14
FOR READY-TO-USE AIR FILTER APPLICATIONS



DYNO TESTED AND RACE PROVEN!



MAXIMA FFT, IT'S LIKE HORSEPOWER IN A BOTTLE.


PEAK HORSEPOWER (DYNO TESTED)



HORSEPOWER

Independent Test Run by Alba Action

READY-TO-USE AND LOADED WITH FEATURES



PROFILTER™ READY-TO-USE AIR FILTERS



READY-TO-USE

PRE-OILED WITH MAXIMA FFT™ 



PROFILTER READY-TO-USE AIR FILTERS READY-TO-USE, READY-TO-RACE

When you get ready to change your filter, change to ProFilter. A new perfectly oiled ProFilter air filter provides maximum airflow and increased horsepower. ProFilter Ready-To-Use air filters are constructed of dual-layer, reticulated foam. Reticulation is a process that opens up the foam cells, allowing for increased air flow and horsepower. The dual foam layers differ in foam pore size – the innermost foam consists of a more dense foam to catch fine particles of sand and powder, whereas the outermost foam is constructed of a more open pore matrix allowing for filtration of larger micron dirt particles. The open porosity of the outer foam also helps the air filter resist plugging. Air filter seams are welded with industrial strength adhesive and all filters come with a rubber grommet to help secure the filter in place to the cage, eliminating tearing and keeping the structural integrity of the filter intact.

READY-TO-USE FILTER FEATURES

- Pre-Oiled with MAXIMA FFT™
- Dual Stage Open Cell Foam Matrix
- Plush 13mm Sealing Foam
- Dyno Tested, Race Approved
- Disposable Gloves Included
- Used & Endorsed By


ROCKSTAR
ENERGY DRINK
SUZUKI


FMF
Makita
SUZUKI
OFF-ROAD TEAM



23 MARTIN DAVALOS
ROCKSTAR SUZUKI

MOTORCYCLE, ATV & RUV APPLICATIONS
SEE PAGE 15 FOR STAINLESS STEEL
OIL FILTER APPLICATIONS.



**PROFILTER MAXFLOW
STAINLESS STEEL OIL FILTER**

Protect the oil that protects your investment by running a ProFilter Stainless Steel oil filter. Built from the finest materials - ProFilter Stainless Steel filters are built to last long after standard oil filters.



- Swiss Made Stainless Steel Micronic Filter Cloth
- Clean And Reuse
- Filters Particles As Small As 35 Microns
- Increased Flow
- Billet Aluminum End Caps
- For Use With Synthetic Or Petroleum Based Oils
- Exceeds All OEM Specifications




MOTORCYCLE, ATV & RUV APPLICATIONS
SEE PAGE 15 FOR OEM REPLACEMENT
OIL FILTER APPLICATIONS.



**PROFILTER MAXFLOW
OEM REPLACEMENT OIL FILTER**

When you get ready to change your oil filter, change to a ProFilter OEM Replacement oil filter. OEM Replacement oil filters are built to exacting standards and exceed all OEM specifications.



- High Strength And Dimensional Stability
- Consistant Flow Rates
- For Use With Synthetic Or Petroleum Based Oils
- Exceeds All OEM Specifications





OIL FILTER COVERS

WE EVEN HAVE YOU COVERED!

PROFILTER COVERS

BILLET ALUMINUM OIL FILTER COVERS


ProFilter Billet Oil Filter Covers are engineered to increase oil flow, helping to cool hot running 4-stroke engines. Built from military-grade materials - these billet covers stand up to the test.

- CNC Machined 6061-T6 Billet Aluminum
- 3D CAD Design For Increased Flow Rates
- Sub-surface Anodized Finish
- Lightweight & Durable
- Precision Fit, Available For Most Popular Models
- Exceeds All OEM Specifications



MOTORCYCLE, ATV & RUV APPLICATIONS

SEE PAGE 15 FOR BILLET OIL FILTER COVER APPLICATIONS.



3D CAD DESIGN FOR INCREASED FLOW RATES AND PRECISION FIT.



PROFILTER™

TRAILER DECAL 27"



PROFILTER BANNER
42" X 10' WITH METAL GROMMETS

SMALL LOGO DECAL

FENDER DECAL

MEDIUM LOGO DECAL

BIG M LOGO DECAL

LARGE LOGO DECAL

LOGO WITH ICON DECAL

PROFILTER DECALS
SIZES: ASSORTED
MATERIAL: 12MIL HEAVY-DUTY CLEAR VINYL



LOGO T
SIZES: M-XXL
COLORS: BLACK



PROFILTER FLEX FIT HAT
SIZES: S-M, L-XXL
COLORS: BLACK

MOTORCYCLE PREMIUM AIR FILTER APPLICATIONS

MODEL	YEAR	PART #
HONDA		
CRF/XR 50/70	97-11	MTX-1006-00
CRF/XR 80/100	95-11	MTX-1007-00
CR85	86-07	MTX-1002-00
CR125/250	89-01	MTX-1001-00
CR125/250	02-07	MTX-1001-01
CRF150/230	03-09	MTX-1004-00
CRF150R	07-09	MTX-1005-00
XR250/400/600/650L	85-11	MTX-1008-00
XR650R	00-07	MTX-1009-00
CRF250R/X	04-09	MTX-1003-00
CRF250R	10-11	MTX-1003-01
CRF450X	03-08	MTX-1003-00
CRF450R	03-08	MTX-1003-00
CRF450R	09-11	MTX-1003-01
HUSQVARNA		
TC/TE/TXC/SM 250/450/510 (4-Stroke)	02-11	MTX-6001-00
CR/WR 125/250/360	92-11	MTX-6001-00
300	09-11	MTX-6001-00
KAWASAKI		
KX65	00-11	MTX-3401-00
KX85	91-11	MTX-3003-00
KX100	95-11	MTX-3003-00
KX125/250	97-01	MTX-3001-00
KX125	02-05	MTX-3001-01
KX250	02-07	MTX-3001-01
KXF250	04-05	MTX-3402-00
KXF250	06-11	MTX-3002-00
KLX400	03-04	MTX-3403-00
KLX450	08-09	MTX-3004-00
KXF450	06-11	MTX-3002-00
KTM		
50	02-08	MTX-5003-00
50	09-11	MTX-5005-00
65 SX/XC	97-11	MTX-5004-00
85/105 SX/XC	04-11	MTX-5001-00
125 2-Stroke	04-06	MTX-5006-00
200/300 2-Stroke / 250 2- and 4-Stroke (Except SX)	04-07	MTX-5006-00
450 SX	03-06	MTX-5006-00
450 EXC/XC	03-07	MTX-5006-00
530 EXC	06-07	MTX-5006-00
125/144/150/250 SX / 250/450 SXF/SXS-F	07-10	MTX-5002-00
125 EXC / 200 XC/XC-W / 250 XC/XC-F/XC-F-W / 300 XC/XC-W	08-11	MTX-5002-00
400 XC-W / 505 XCF / 530 XC-W/EXC / 450/560 SMR		
450 EXC/XC-F	08-11	MTX-5002-00
125/144/150/250/300 SX (2-Stroke)	2011	MTX-5007-00
250/350/450 SX/SXS-F (4-Stroke) / 250/350 XC-F		



MODEL	YEAR	PART #
SHERCO		
80/125/200/250/290/ 320 4-Stroke TRIALS	99-09	MTX-7001-00
80/125/200/250/290/ 320 4-Stroke TRIALS	10-11	MTX-7002-00
SUZUKI		
RM65	03-06	MTX-3401-00
RM85	86-11	MTX-4002-00
RM125	99-03	MTX-4001-00
RM125	04-08	MTX-2401-00
RM250	96-02	MTX-4001-00
RM250	03-08	MTX-2401-00
RMZ250	04-06	MTX-3402-00
RMZ250	07-11	MTX-2401-00
DRZ400	00-11	MTX-3403-00
RMZ450	05-11	MTX-2401-00
YAMAHA		
YZ85	02-11	MTX-2003-00
TTR125	03-11	MTX-2004-00
YZ125/250	97-11	MTX-2401-00
TTR230	05-11	MTX-2004-00
YZ250F	01-11	MTX-2401-00
WR250/400/426	97-02	MTX-2401-00
WR250/450	03-11	MTX-2002-00
YZF400/426/450F	97-09	MTX-2401-00
YZF450F	10-11	MTX-2010-00

FOR MAXIMUM PERFORMANCE AND PROTECTION WE RECOMMEND MAXIMA RACING OILS.

FFT FOAM FILTER TREATMENT

Race proven synthetic foam filter treatment provides unequalled protection against the elements. Water-resistant. The ultimate air filter oil. Available in: 16oz/32oz

FAB 1 SPRAY ON FILTER OIL

Advanced spray-on synthetic filter treatment provides unequalled protection against the elements. Water-resistant. May be used on foam and fabric filters. The ultimate spray-on air filter oil. Available in: 13oz

AIR FILTER CLEANER

RATED #1 BEST ON THE MARKET

Maxima Air Filter Cleaner is a heavy-duty emulsion-type cleaner designed to thoroughly clean both foam and fabric air filters without damaging foam cells, paper or glue. Maxima Air Filter Cleaner will remove oil and dirt from air filter elements and easily washes out with water.

Dirt Rider Rated #1 by Dirt Rider magazine.

RATED #1 Available in: 15.5oz



ATV PREMIUM AIR FILTER APPLICATIONS

MODEL	YEAR	PART #
HONDA - ATV		
SPORTTRAX 250 EX/X "RUBBER FLANGE"	01-11	MTX-1010-00
SPORTTRAX 400 EX/X "RUBBER FLANGE"	99-11	MTX-1011-00
TRX 400 "RUBBER FLANGE"	99-11	MTX-1011-00
FOREMAN 500 "RUBBER FLANGE"	05-11	MTX-1012-00
RUBICON 500 "RUBBER FLANGE"	05-11	MTX-1012-00
RINCON 650/675 "RUBBER FLANGE"	03-11	MTX-1012-00
KAWASAKI - ATV		
KFX/KVF 400	03-06	MTX-3404-00
KFX 450	07-11	MTX-3005-00
BRUTE FORCE 4X4 650	05-11	MTX-3006-00
PRAIRIE 650	03	MTX-3006-00
KFX 700	04-09	MTX-3006-00
PRAIRIE 700	04-06	MTX-3006-00
TERYX 750	08-11	MTX-3007-00
POLARIS - ATV		
TRAILBOSS 330 "RUBBER FLANGE"	03-11	MTX-8001-00
TRAILBLAZER 330 "RUBBER FLANGE"	03-11	MTX-8001-00
SPORTSMAN 400 "RUBBER FLANGE"	01-11	MTX-8001-00
SPORTSMAN 450 "RUBBER FLANGE"	06-07	MTX-8001-00
HO / TOURING 500 "RUBBER FLANGE"	08-11	MTX-8001-00
SCRAMBLER 500 4X4 "RUBBER FLANGE"	98-11	MTX-8001-00
SPORTSMAN 500 "RUBBER FLANGE"	96-11	MTX-8001-00
SPORTSMAN 500 6X6 "RUBBER FLANGE"	00-10	MTX-8001-00
X2 500/700/800 "RUBBER FLANGE"	06-11	MTX-8001-00
SPORTSMAN 700 "RUBBER FLANGE"	02-07	MTX-8001-00
RZR RANGER 800 "RUBBER FLANGE + SPRING"	09-11	MTX-8002-00
SPORTSMAN 800 "RUBBER FLANGE"	05-11	MTX-8001-00
TOURING 800/850 "RUBBER FLANGE"	08-11	MTX-8001-00
SUZUKI - ATV		
EIGER 400	02-09	MTX-3404-00
KING QUAD 400	02-09	MTX-3404-00
LTZ 400	03-09	MTX-3404-00
LTR 450	06-10	MTX-4003-00
VINSON 500	02-03	MTX-3404-00
YAMAHA - ATV		
BLASTER 200	88-06	MTX-2008-00
BREEZE 125	89-04	MTX-2008-00
RAPTOR 350	04-11	MTX-2007-00
WARRIOR 350	87-05	MTX-2007-00
WOLVERINE 350	95-05	MTX-2007-00
RHINO 450	07-11	MTX-2009-00
YZF 450 R/X	04-11	MTX-2005-00
RAPTOR 660	01-05	MTX-2006-00
RHINO 660	04-07	MTX-2009-00
GRIZZLY 700	07-11	MTX-2012-00
RAPTOR 700	06-11	MTX-2011-00
RHINO 700	08-11	MTX-2013-00

OIL BEFORE USE. Saturate air filter inside and outside with a quality air filter oil.

MOTORCYCLE, ATV & RUV APPLICATIONS



MOTORCYCLE READY-TO-USE PRE-OILED AIR FILTER APPLICATIONS

MODEL	YEAR	PART #
HONDA		
CRF/XR 50/70	97-11	AFR-100600
CRF/XR 80/100	95-11	AFR-100700
CR85	86-07	AFR-100200
CR125/250	89-01	AFR-100100
CR125/250	02-07	AFR-100101
CRF150/230	03-09	AFR-100400
CRF150R	07-09	AFR-100500
XR250/400/600/650L	85-11	AFR-100800
XR650R	00-07	AFR-100900
CRF250R/X	04-09	AFR-100300
CRF250R	10-11	AFR-100301
CRF450X	03-08	AFR-100300
CRF450R	03-08	AFR-100300
CRF450R	09-11	AFR-100301
HUSQVARNA		
TC/TE/TXC/SM 250/450/510 (4-Stroke)	02-11	AFR-600100
CR/WR 125/250/360	92-11	AFR-600100
300	09-11	AFR-600100
KAWASAKI		
KX65	00-11	AFR-340100
KX85	91-11	AFR-300300
KX100	95-11	AFR-300300
KX125/250	97-01	AFR-300100
KX125	02-05	AFR-300101
KX250	02-07	AFR-300101
KXF250	04-05	AFR-340200
KXF250	06-11	AFR-300200
KLX400	03-04	AFR-340300
KLX450	08-09	AFR-300400
KXF450	06-11	AFR-300200
KTM		
50	02-08	AFR-500300
50	09-11	AFR-500500
65 SX/XC	97-11	AFR-500400
85/105 SX/XC	04-11	AFR-500100
125/200/250/300/400/450 All SX Models	00-06	AFR-500100
125/200/250/300 All 2-Stroke Models	00-07	AFR-500100
125 2-Stroke	04-06	AFR-500600
200/300 2-Stroke / 250 2- and 4-Stroke (Except SX)	04-07	AFR-500600
450 SX	03-06	AFR-500600
450 EXC/XC	03-07	AFR-500600
530 EXC	06-07	AFR-500600
125/144/150/250 SX / 250/450 SXF/SXS-F	07-10	AFR-500200
125 EXC / 200 XC/XC-W / 250 XC/XC-F/XCF-W / 300 XC/XC-W	08-11	AFR-500200
400 XC-W / 505 XCF / 530 XC-W/EXC / 450/560 SMR		
450 EXC/XC-F	08-11	AFR-500200
125/144/150/250/300 SX (2-Stroke)	2011	AFR-500700
250/350/450 SX/SXS-F (4-Stroke) / 250/350 XC-F		



MODEL	YEAR	PART #
SHERCO		
80/125/200/250/290/ 320 4-Stroke TRIALS	99-09	AFR-700100
80/125/200/250/290/ 320 4-Stroke TRIALS	10-11	AFR-700200
SUZUKI		
RM65	03-06	AFR-340100
RM85	86-11	AFR-400200
RM125	99-03	AFR-400100
RM125	04-08	AFR-240100
RM250	96-02	AFR-400100
RM250	03-08	AFR-240100
RMZ250	04-06	AFR-340200
RMZ250	07-11	AFR-240100
DRZ400	00-11	AFR-340300
RMZ450	05-11	AFR-240100
YAMAHA		
YZ85	02-11	AFR-200300
TTR125	03-11	AFR-200400
YZ125/250	97-11	AFR-240100
TTR230	05-11	AFR-200400
YZZ250F	01-11	AFR-240100
WR250/400/426	97-02	AFR-240100
WR250/450	03-11	AFR-200200
YZF400/426/450F	97-09	AFR-240100
YZF450F	10-11	AFR-201000

ATV READY-TO-USE PRE-OILED AIR FILTER APPLICATIONS

MODEL	YEAR	PART #
KAWASAKI - ATV		
KFX/KVF 400	03-06	AFR-340400
SUZUKI - ATV		
EIGER 400	02-09	AFR-340400
KING QUAD 400	02-09	AFR-340400
ITZ 400	03-09	AFR-340400
ITR 450	06-10	AFR-400300
VINSON 500	02-03	AFR-340400
YAMAHA - ATV		
BLASTER 200	88-06	AFR-200800
BREEZE 125	89-04	AFR-200800
RAPTOR 350	04-11	AFR-200700
WARRIOR 350	87-05	AFR-200700
WOLVERINE 350	95-05	AFR-200700
RHINO 450	07-11	AFR-200900
YZF 450 R/X	04-11	AFR-200500
RAPTOR 660	01-05	AFR-200600
RHINO 660	04-07	AFR-200900

OIL FILTER APPLICATIONS

MODEL	YEAR	OEM REPLACEMENT PART #	STAINLESS STEEL PART #
HONDA			
CRF 150/250/450	02-11	OFF-1001-00	OFS-1001-00
ATV TRX/EX 250/300/400	85-09	OFF-3101-00	OFS-3101-00
XR 250/400/600/650R	85-09	OFF-3101-00	OFS-3101-00
ATV FOREMAN 350/450/500	87-09	OFF-3101-00	OFS-3101-00
ATV TRX450R	04-09	OFF-1001-00	OFS-1001-00
HUSABERG			
ALL 4-STROKE MODELS	95-08	OFF-5001-00	OFS-5001-00
ALL 4-STROKE MODELS	09-11	OFF-5004-00	OFS-5004-00
KAWASAKI			
KLX110	02-11	OFF-3101-00	OFS-3101-00
KLX 250/300	94-11	OFF-3101-00	OFS-3101-00
KXF250	04-11	OFF-3401-00	OFS-3401-00
ATV KFX450	06-11	OFF-3101-00	OFS-3101-00
KXF/KLX 450	06-11	OFF-3101-00	OFS-3101-00
KTM			
LONG FILTER (ALL) SXF	99-06	OFF-5001-00	OFS-5001-00
LONG FILTER (ALL) EXC/XC/XC-W	99-07	OFF-5001-00	OFS-5001-00
SHORT FILTER (ALL) SXF	99-06	OFF-5002-00	OFS-5002-00
SHORT FILTER (ALL) EXC/XC/XC-W	99-07	OFF-5002-00	OFS-5002-00
250 SXF	05-11	OFF-5004-00	OFS-5004-00
250 XC-F/XC-F-W	08-11	OFF-5004-00	OFS-5004-00
350/450/505 SXF/XCF	07-11	OFF-5003-00	OFS-5003-00
450/530 EXC/XC/XC-W	08-11	OFF-5003-00	OFS-5003-00
450/560 SMR	08-11	OFF-5003-00	OFS-5003-00
SUZUKI			
DRZ110	02-11	OFF-3101-00	OFS-3101-00
RMZ 250/450	04-11	OFF-3401-00	OFS-3401-00
DRZ400	00-11	OFF-4001-00	OFS-4001-00
ATV LTR450	06-10	OFF-4001-00	OFS-4001-00
YAMAHA			
ATV YFZ450 R/X	04-11	OFF-2001-00	OFS-2001-00
WR 250/450	03-11	OFF-2001-00	OFS-2001-00
YZF 250/450	03-11	OFF-2001-00	OFS-2001-00

WHEN CHANGING YOUR OIL SEE YOUR SERVICE/OWNER'S MANUAL FOR OIL VOLUME.
INSIST ON A QUALITY MOTORCYCLE/ATV SPECIFIC OIL WHEN CHANGING YOUR OIL.
♻️ YOU CAN MAKE A DIFFERENCE BY RECYCLING YOUR USED MOTOR OIL.

THE WINNINGEST OIL IN MOTOCROSS & SUPERCROSS

Maxima Racing Oils are the Winningest Oils in Motocross and Supercross, winning more championships than all the others combined. Maxima's superior technology provides unsurpassed protection from heat and wear, outstanding engine cleanliness and excellent clutch feel while producing more horsepower and increased torque.



MAXIMA RACING OILS ARE USED AND ENDORSED BY



DEVELOPED & PROVEN ON THE TOUGHEST TRACKS IN THE WORLD.

BILLET OIL FILTER COVER APPLICATIONS

MODEL	YEAR	PART #
HONDA		
CRF150R	07-09	BCA-1003-00
CRF250R	04-09	BCA-1001-00
CRF250R	10-11	BCA-1001-01
CRF450R	02-08	BCA-1002-00
CRF450X	05-09	BCA-1002-00
CRF450R	09-11	BCA-1002-01
ATV TRX450R	06-09	BCA-1002-00
KAWASAKI		
KXF250	04-11	BCA-3401-00
KXF450	06-11	BCA-3001-00
KTM		
250SX	05-11	BCA-5001-00
450/520 SXF	00-06	BCA-5001-00
250/400/450/520/525 EXC/XC/XC-W/MXC	00-07	BCA-5001-00
350 SXF	2011	BCA-5002-00
450 SXF	07-11	BCA-5002-00
450 EXC/XC/XC-W	08-11	BCA-5002-00
450/530 XCR-W	09-11	BCA-5002-00
SUZUKI		
RMZ250	04-06	BCA-3401-00
RMZ250	07-11	BCA-4002-00
DRZ400	00-11	BCA-4003-00
RMZ450	05-11	BCA-4001-00
ATV LTR450	06-10	BCA-4003-00
YAMAHA		
WR 250/450	98-09	BCA-2001-00
YZF250	01-11	BCA-2001-00
YZF450	98-09	BCA-2001-00
YZF450	10-11	BCA-2002-00
ATV YFZ450 R/X	04-11	BCA-2001-00

MAXIMA IS THE LEADER IN 4-STROKE LUBRICATION.



MAXIMA PREMIUM
PERFORMANCE 4-CYCLE
PETROLEUM BASED

MAXIMA SYN BLEND
PERFORMANCE 4-CYCLE
SYNTHETIC BLEND

MAXIMA EXTRA
RACING GRADE 4-CYCLE
TRIPLE ESTER FORMULA
100% SYNTHETIC

MAXIMA 530MX
FULL RACE GRADE 4-CYCLE
TRIPLE ESTER FORMULA
100% SYNTHETIC

PROMO



MAXIMA M SQUARED BLACK
FIT: FITTED/SLIM CUT
SIZES: S, M, L, XL & XXL
PART # 10-10064-BLK-(ADD SIZE)



MAXIMA M SQUARED SILVER
FIT: FITTED/SLIM CUT
SIZES: S, M, L, XL & XXL
PART # 10-10064-SILVER-(ADD SIZE)



MAXIMA BOLT CHARCOAL
FIT: FITTED/SLIM CUT
SIZES: S, M, L, XL & XXL
PART # 10-10020-VB-(ADD SIZE)



MAXIMA BOLT HEATHER GREY
FIT: FITTED/SLIM CUT
SIZES: S, M, L, XL & XXL
PART # 10-10020-HG-(ADD SIZE)



MAXIMA LOGO BLACK
FIT: FITTED/SLIM CUT
SIZES: S, M, L, XL & XXL
PART # 10-10023-BLKN-(ADD SIZE)



MAXIMA LOGO BLACK
FIT: TRADITIONAL FIT
SIZES: S, M, L, XL & XXL
PART # 10-10023-BLKA-(ADD SIZE)



MAXIMA LOGO LIGHT GREY
FIT: FITTED/SLIM CUT
SIZES: S, M, L, XL & XXL
PART # 10-10023-HGN-(ADD SIZE)



MAXIMA LOGO LIGHT GREY
FIT: TRADITIONAL FIT
SIZES: S, M, L, XL & XXL
PART # 10-10023-HGA-(ADD SIZE)

MAXIMA FIT

TRADITIONAL FIT: TRADITIONAL RELAXED FIT, HEAVY-WEIGHT COTTON T-SHIRT.
FITTED/SLIM CUT: SLIMMER CUT, LIGHT-WEIGHT T-SHIRT



EXPERIENCE THE DIFFERENCE

PROMO



79 MC CLUB BLACK
FIT: FITTED/SLIM CUT
SIZES: S, M, L, XL & XXL
PART # 10-10021-BLK-(ADD SIZE)



BACK



79 MC CLUB INDIGO BLUE
FIT: FITTED/SLIM CUT
SIZES: S, M, L, XL & XXL
PART # 10-10021-IND-(ADD SIZE)



BACK



V-TWIN CLASSIC BLACK
FIT: TRADITIONAL FIT
SIZES: S, M, L, XL & XXL
PART # 10-10022-BLKA-(ADD SIZE)



BACK



V-TWIN CLASSIC BLACK
FIT: FITTED/SLIM CUT
SIZES: S, M, L, XL & XXL
PART # 10-10022-BLKN-(ADD SIZE)



BACK

MAXIMA FIT
TRADITIONAL FIT: TRADITIONAL RELAXED FIT, HEAVY-WEIGHT COTTON T-SHIRT.
FITTED/SLIM CUT: SLIMMER CUT, LIGHT-WEIGHT T-SHIRT



EXPERIENCE THE DIFFERENCE

PROMO



ENGINE BUILDER BLACK
FIT: TRADITIONAL FIT
SIZES: M, L, XL & XXXL
PART # 19-10020-BLK-(ADD SIZE)



BACK



ENGINE BUILDER HEATHER
FIT: TRADITIONAL FIT
SIZES: M, L, XL & XXXL
PART # 19-10020-HEA-(ADD SIZE)



BACK



MAXIMA BIKE VINTAGE BLACK
FIT: FITTED/SLIM CUT
SIZES: S, M, L, XL & XXL
PART # 15-10021-BLK-(ADD SIZE)



MAXIMA BIKE HEAVY METAL
FIT: FITTED/SLIM CUT
SIZES: S, M, L, XL & XXL
PART # 15-10021-GRY-(ADD SIZE)



MAXIMA BIKE COOL BLUE
FIT: FITTED/SLIM CUT
SIZES: S, M, L, XL & XXL
PART # 15-10021-BLU-(ADD SIZE)

MAXIMA FIT
TRADITIONAL FIT: TRADITIONAL RELAXED FIT, HEAVY-WEIGHT COTTON T-SHIRT.
FITTED/SLIM CUT: SLIMMER CUT, LIGHT-WEIGHT T-SHIRT

PROMO



BOLT ZIP HOODIE CHARCOAL
FIT: LIGHTWIEGHT ZIP HOODIE
SIZES: S, M, L, XL & XXL
PART # 10-10052-CH-{ADD SIZE}



79 MC HOODIE BLACK
FIT: ZIP HOODIE
SIZES: S, M, L, XL & XXL
PART # 10-10052-BLK-{ADD SIZE}



WOMENS 79 MC HOODIE LIGHT BLACKBERRY
FIT: ZIP HOODIE
SIZES: S, M, L, & XL
PART # 10-10053-LB-{ADD SIZE}



MAXIMA POLO SPORT SHIRT BLACK
FIT: PREMIUM OGIO POLO
SIZES: M, L, XL & XXL
PART # 10-10063-BLKA-{ADD SIZE}



SHOP APRON
HEAVY DUTY CANVAS, 5 POCKET,
ZIPPERED MAIN POCKET,
ADJUSTABLE SHOULDER STRAP SYSTEM.
ONE SIZE FITS ALL
PART # 10-10089

PROMO



MAXIMA LOGO BLACK
FIT: THE ORIGINAL FLEXFIT
SIZES: S/M & L/XL
PART # 10-10093-BLK-(ADD SIZE)



MAXIMA LOGO RED
FIT: THE ORIGINAL FLEXFIT
SIZES: S/M & L/XL
PART # 10-10093-RED-(ADD SIZE)



MAXIMA LOGO PROMO BLACK
FIT: STRETCH FIT
SIZES: ONE SIZE FITS ALL (OSFA)
PART # 10-10101-BLK-OSFA



M SQUARED BLACK
FIT: 210 FITTED
SIZES: S/M & L/XL
PART # 10-10097-BLK-(ADD SIZE)




M SQUARED HEATHER
FIT: 210 FITTED
SIZES: S/M & L/XL
PART # 10-10097-HEA-(ADD SIZE)




M SQUARED BLACK
FIT: RETRO TRUCKER SNAPBACK
SIZES: ONE SIZE FITS ALL (OSFA)
PART # 10-10098-BLK-OSFA

PROMO



NOTEBOOK A4 DOUBLE SPIRAL
HARD COVER, 100 PAGE GRID-LINED
PART # 10-10085



NOTEBOOK A5 EMBOSSED
EMBOSSED PADDED HARD COVER, 100 PAGE
LINED, ELASTIC CLOSURE WITH BOOKMARK
PART # 10-10084



METAL OIL DRUM PEN HOLDER
PART # 10-10090



PEN BLACK/RED PLASTIC
BLACK INK
PART # 10-10081



PEN BLACK METAL STYLUS
BLACK INK
PART # 10-10082



PROMO



MAXIMA OVAL M DECAL
SIZE: 4" (10.15cm)
PART # 10012



MAXIMA LOGO DECAL
SIZE: 6" (16.25cm)
PART # 10016



MAXIMA LOGO DECAL
SIZE: 9" (23cm)
PART # 10017



MAXIMA LOGO DECAL
SIZE: 25" (63.5cm)
PART # 10032




MAXIMA OVAL M 15 MIL DECAL
SIZE: 4" (10.15cm)
PART # 10013



MAXIMA LOGO 4 MIL DECAL
SIZE: 10" (39.4cm)
PART # 10-10002



MAXIMA LOGO 15 MIL DECAL
SIZE: 15" (5.9cm)
PART # 10033



FRONT FENDER DECAL SHEET
15 MIL HEAVY DUTY CLEAR VINYL
10" X 6" (3.94cm X 2.63cm)
PART # 10010



ASSORTED DECAL SHEET
15 MIL HEAVY DUTY CLEAR VINYL
SIZE: 14" X 11" (35.56cm X 27.94cm)
PART # 10009



PROMO



CURVED ENGINE DECAL
 SIZE: 2.35" x .6cm
 PART # 10037




ENGINE DECAL
 SIZE: 2.25" x .875" (.886cm x .344cm)
 PART # 10034



ENGINE DECAL
 SIZE: 2.75" x 2.75" (1.1cm x 1.1cm)
 PART # 10-10004



THERMALWELD RACE PATCH
 SMOOTH PATCH MATERIAL, PERFECT FOR LEATHERS, JERSEYS AND RACE PANTS. 10" LOGO PART # 10004-LG, 8.5" LOGO PART # 10004-MD & 3.5" ICON PART # 10004-SM




SUPPORT YOUR LOCAL ENGINE BUILDER DECAL
 100 IN A PACK
 SIZE: 4" x 4.5" (1.57cm x 1.77cm)
 PART # 10036



SUPPORT YOUR LOCAL ENGINE BUILDER DECAL
 100 IN A PACK
 SIZE: 8" x 2.5" (3.15cm x .98cm)
 PART # 10035



AUTHORIZED DEALER DECALS
 SIZE: 15" (38.1cm)
 PART # 10029



OIL/FUEL RATIO CHART DECAL
 SIZE: 5" x .2.125" (1.97cm x .84cm)
 PART # 10005



MAXIMA VINTAGE DECAL SHEET
 SIZE: 8.5" X 6" (22cm X 15.5cm)
 PART # 10008



PROMO



MAXIMA MICRO FIBER TOWELS 3 PACK
SIZE: 13.7" X 13.7" (35cm X 35cm)
PART # 10-10013



QUICK-2-MIX OIL / GAS MIXING BOTTLE
SIZE: 20oz/20
PART # 10920



5-GALLON PAIL PUMP
PART # 10105

PROMO



KOOZIE BIKE LIME GREEN
SOFT FOAM DRINK HOLDER
PART # 10-10088



KOOZIE MOTO YELLOW/BLACK
SOFT FOAM DRINK HOLDER
PART # 10-10087



SC1 AIR FRESHENER
SMELLS GREAT, SC1 SCENTED!
PART # 10-10071



OILY TPR KEY CHAIN
3D MOLDED, SOFT PVC
TOYOTA TRUCK NOT INCLUDED
PART # 10-11000



KEY CHAIN HORIZONTAL LOGO
3D MOLDED, SOFT PVC
SIZE: 8.5cm X 1.7cm (3.35" X .65")
PART # 10-10091



KOOZIE AUTO BLACK/RED
SOFT FOAM DRINK HOLDER
PART # 10-10086



MAXIMA WATER BOTTLE
710ml (24oz), BPA FREE, MADE BY SPECIALIZED
PART # 10-10083

PROMO



MAXIMA RACE CANOPY

PREMIUM QUALITY RACE CANOPY
FEATURING MAXIMA LOGOS.
POWDER COATED BLACK FRAME.
TOPS ALSO AVAILABLE SEPARATELY.
SIZE: 10' X 15' (3.05M X 4.72M)

**MAXIMA RACE CANOPY
CUSTOM TOP ONLY**

PART # 10002T

**MAXIMA RACE CANOPY
STEEL FRAME ONLY**

PART # 10002T-ST

**MAXIMA RACE CANOPY
ALUMINUM FRAME ONL**

PART # 10002T-AL



LARGE MAXIMA BANNER

WITH METAL GROMMETS
SIZE: 10' X 3.5' (3.05M X 1.07M)
PART # 10070



MEDIUM MAXIMA BANNER

WITH METAL GROMMETS
SIZE: 6' X 3' (1.83M X 0.91M)
PART # 10071

MAXIMA BLADE BEACH FLAG

SIZE: 2.4' X 9.25' (0.73M X 2.82M)
SECURE GROUND STAKE
MOUNTING SYSTEM
PART # 10-10092



EXPERIENCE THE DIFFERENCE

PROMO



MAXIMA METAL SHOP SIGN

SIZE: 36" x 7.5" (91.44cm X 19.05cm)

PART # 10-10001



MAXIMA COUNTER DISPLAY

CONVENIENT 2 SHELF P.O.P. COUNTER MODEL
GET ORGANIZED AND REALIZE INCREASED
SALES WITH THESE MAXIMA DISPLAYS.

SIZE: 8"H X 10"D X 14"W

PART # 10-10007



MAXIMA 5 SHELF

HEAVY DUTY DISPLAY RACK

GET ORGANIZED AND REALIZE INCREASED
SALES WITH THESE MAXIMA DISPLAYS.

SIZE: 76"H X 18.5"D X 32"W

PART # 10-10099



MAXIMA "V-TWIN"

5 SHELF HEAVY DUTY DISPLAY RACK

ORGANIZED YOUR MAXIMA V-TWIN SPECIFIC LUBRICANTS
AND REALIZE INCREASED SALES WITH THIS DISPLAY.

SIZE: 76"H X 18.5"D X 32"W

PART # 10-10100

PROMO



NOTEBOOK A4 DOUBLE SPIRAL
100 PAGE GRID-LINED
PART # 10-10085



NOTEBOOK A5 EMBOSSED
EMBOSSED PADDED HARD COVER, 100 PAGE LINED
ELASTIC CLOSURE WITH BOOKMARK
PART # 10-10084



METAL OIL DRUM PEN HOLDER
PART # 10-10090



PEN BLACK/RED PLASTIC
BLACK INK
PART # 10-10081



PEN BLACK METAL STYLUS
BLACK INK
PART # 10-10082

PROMO



SHOP APRON
HEAVY DUTY CANVAS, 5-POCKET, ZIPPER MAIN POCKET
ADJUSTABLE SHOULDER STRAP SYSTEM - ONE SIZE FITS ALL
PART # 10-10089



OIL PUMP
FOR USE WITH 208 LITER AND 60 LITER DRUMS
PART # 10-10106



SMALL BANNER - ENGLISH
SIZE: 92cm X 46cm (36" X 18")
PART # 10072



SMALL BANNER - SPANISH
SIZE: 92cm X 46cm (36" X 18")
PART # 10073



BLADE BEACH FLAG
SIZE: 282cm X 73.5cm (111" X 29")
SECURE GROUND STAKE MOUNTING SYSTEM
PART # 10-10092

PROMO



MAXIMA OVAL M DECAL
 SIZE: 10.15cm (4")
 PART # 10012



MAXIMA LOGO DECAL
 SIZE: 16.25cm (6")
 PART # 10016



MAXIMA LOGO DECAL
 SIZE: 23cm (9")
 PART # 10017



MAXIMA LOGO DECAL
 SIZE: 63.5cm (25")
 PART # 10032



MAXIMA CURVED ENGINE DECAL - ENGLISH
 SIZE: 5.6cm (2.35")
 PART # 10037



MAXIMA CURVED ENGINE DECAL - SPANISH
 SIZE: 5.6cm (2.35")
 PART # 10038

FECHA:	/ /
PRÓXIMO CAMBIO:	/ /
KM:	
ACEITE:	
# DE ORDEN:	

SERVICE CONTROL DECAL - SPANISH
 5cm X 8.5cm (1.95" X 3.35")
 PART # 10018



MICROFIBER TOWEL - SPANISH
 SIZE: 30cm X 30cm (11.8" X 11.8")
 PART # 10-10010



MAXIMA VINTAGE DECAL SHEET
 SIZE: 22cm X 15.5cm (8.5" X 6")
 PART # 10008



PROMO



KEY CHAIN HORIZONTAL LOGO
3D MOLDED, SOFT PVC
SIZE: 8.5cm X 1.7cm (3.35" X .65")
PART # 10-10091



KOOZIE BIKE LIME GREEN
SOFT FOAM DRINK HOLDER
PART # 10-10088



KOOZIE MOTO YELLOW/BLACK
SOFT FOAM DRINK HOLDER
PART # 10-10087



KOOZIE AUTO BLACK/RED
SOFT FOAM DRINK HOLDER
PART # 10-10086



MAXIMA WATER BOTTLE
710ml (24oz), BPA FREE, MADE BY SPECIALIZED
PART # 10-10083

35 YEARS OF HERITAGE

★ PURPOSE BUILT FORMULAS ★



THE MOST COMPREHENSIVE LINE OF V-TWIN OILS

Custom Formulas Hand Built In The USA.



V-Twin Lubricant Reference Chart



USE	HARLEY-DAVIDSON®	MODEL	MAXIMA RACING OILS®
ENGINE	H-D® 20w50 Motor Oil™	BIG TWINS TWIN CAM 80 EVOLUTION	V-TWIN MINERAL 10w40, 20w50, 25w60 V-TWIN SYNTHETIC BLEND 20w50 V-TWIN FULL SYNTHETIC 20w50
ENGINE	H-D® 50wt™ H-D® 60wt™ H-D® 20w50™	EARLY TWINS PRE-EVOLUTION	V-TWIN MINERAL 50wt, 60wt, 70wt V-TWIN MINERAL 20w50, 25w60 V-TWIN SYNTHETIC BLEND 20w50 V-TWIN FULL SYNTHETIC 20w50
PRIMARY	H-D® PRIMARY CHAINCASE LUBRICANT™	BIG TWINS	V-TWIN PRIMARY MINERAL OIL
TRANSMISSION	H-D® SEMI-SYNTHETIC TRANSMISSION OIL™	BIG TWINS	V-TWIN TRANSMISSION 80w90, 85w140
TRANSMISSION	H-D® SPORT TRANSMISSION FLUID™	SPORTSTER W/WET CLUTCH	V-TWIN SPORTSTER GEAR & CHAIN CASE V-TWIN PRIMARY MINERAL OIL
FORKS	H-D® HYDRAULIC FORK OIL TYPE E™ H-D® HYDRAULIC FORK OIL TYPE B™ H-D® HYDRAULIC FORK OIL TYPE H/D™	ALL MODELS	V-TWIN FORK OIL 5WT (TYPE E™) V-TWIN FORK OIL 10WT (TYPE B™) V-TWIN FORK OIL 20WT (TYPE H/D™)
BRAKE FLUID	H-D® SILICONE BRAKE FLUID	ALL MODELS	SILICONE SUPREME DOT-5 BRAKE FLUID



V-Twin



THREE NEW V-TWIN SPECIFIC ENGINE OILS



V-TWIN MINERAL ENGINE OIL 10W-40, 20W-50, 25W-60 50WT, 60WT & 70WT

MAXIMA V-TWIN MINERAL is a high-quality, mineral based motorcycle oil specifically formulated for V-Twin engines. An advanced polymer system resists mechanical shearing and heat breakdown of the oil offering unsurpassed viscosity retention. V-TWIN MINERAL is engineered with industry leading anti-wear and extreme pressure additives to protect critical engine components. Superior additive package keeps engines clean, protects against sludge and allows for trouble-free operation.

Available in: 32oz & 128oz Bottles

V-TWIN SEMI-SYNTHETIC ENGINE OIL 20W-50

MAXIMA V-TWIN SEMI-SYNTHETIC is an ester based semi-synthetic motorcycle oil specifically formulated for V-Twin engines. Surface-active ester technology lowers operating temperatures, reduces wear, increases film strength and offers extended protection. An advanced polymer system resists mechanical shearing and heat breakdown of the oil offering unsurpassed viscosity retention. Ultra-clean additive package keeps engines clean, protects against sludge and allows for trouble-free operation.

Available in: 32oz & 128oz Bottles

V-TWIN FULL SYNTHETIC ENGINE OIL 20W-50

MAXIMA V-TWIN FULL SYNTHETIC is an ester based full synthetic motorcycle oil engineered and approved to be used as a multi-compartment oil for H-D V-Twin engines, transmissions and primaries. Surface-active ester technology lowers operating temperatures, reduces wear, increases film strength and offers extended protection. Regenerative polymer system resists mechanical shearing and heat breakdown of the oil offering exceptional viscosity retention in severe climates. V-TWIN FULL SYNTHETIC is Ultra-clean additive package keeps engines clean, protects against sludge and allows for trouble-free operation.

Available in: 32oz & 128oz Bottles

FOUR NEW V-TWIN SPECIFIC TRANS/GEAR OILS



V-TWIN TRANSMISSION TRANSMISSION & GEAR OIL 80W-90

V-TWIN HEAVY DUTY TRANSMISSION & GEAR OIL HD 85W-140 MAXIMA V-TWIN TRANSMISSION & GEAR OIL is a high-quality, mineral based motorcycle gear oil. Recommended for use in 4-, 5- and 6-speed high performance gear boxes. High film strength gear oil provides excellent protection against shock loads, viscosity loss and wear. Extreme pressure additives and surface active chemistry allow smooth shifting under peak loads and RPMs. Ultra-clean detergents protect gears from wear, deposits and allow for trouble-free operation.

Available in: 32oz Bottles

SPORTSTER GEAR & CHAINCASE OIL

MAXIMA SPORTSTER GEAR & CHAINCASE OIL is a high-quality, mineral based motorcycle gear oil formulated for high-performance transmissions and primary chaincases. Recommended for use in 1971 and newer XR and XL H-D motorcycles where transmission and primary chaincase share a common lubricant. Extreme pressure additives and surface active chemistry protect against shock loads and allow smooth shifting under peak loads and RPMs. Robust formula resists mechanical shearing and heat breakdown of the oil. Ultra-clean detergents protect gears from wear, deposits and allow for trouble-free operation.

Available in: 32oz Bottles

V-TWIN PRIMARY PRIMARY FLUID


MAXIMA V-TWIN PRIMARY FLUID is a high-quality, mineral based motorcycle gear oil formulated for high-performance transmissions and primary chaincases. Designed for use in all 1984 and newer H-D® models with wet diaphragm spring clutches. Extreme pressure additives and surface active chemistry protect against shock loads and allow smooth shifting under peak loads and RPMs. Robust formula resists mechanical shearing and heat breakdown of the oil. Ultra-clean detergents protect gears from wear, deposits and allow for trouble-free operation.

Available in: 32oz Bottles

V-TWIN FORK OIL 5WT H-D TYPE E™, 10WT H-D TYPE B™ & 20WT H-D TYPE H/D™

MAXIMA V-TWIN FORK OIL is a blend of premium quality, ultra-pure base oils and surface active additives that provide excellent lubricity, control foaming and protect the suspension system against corrosion. Special Lubricinol™ formula conditions seals, protects moving parts and reduces stiction to enhance fork performance over a wide operating temperature range. Advanced detergents provide ultra-clean operation and protect suspension systems from wear, deposits and allow for trouble-free operation.

Available in: 32oz Bottles



SPEED WAX PROFESSIONAL FORMULA

Speed Wax is a specialized detailer. An all-in-one detailer that conditions, shines and protects painted surfaces, chrome, anodizing, windshields and plastic. Advanced formula blends conditioners with color enhancers to produce a brilliant shine. Easy application and removal – Speed Wax is designed to minimize effort and maximize shine and is the quickest way to detail your ride. Soothing wax sets up quickly and easily wipes from smooth surfaces. A single application is all it takes. Available in: 15.5oz Aerosol

SC1 CLEAR COAT

Restore that factory shine! SC1 Clear Coat is formulated for the motorcycle industry. SC1 conditions and polishes plastic, fiberglass and painted surfaces. Makes the clean-up process easier. Excellent for use as a clear coat, inside fender wells and along bodywork to prevent mud, dirt and rubber from adhering to the body panels. SC1 repels water and leaves a long lasting luster. Buff SC1 for outstanding shine without attracting dirt and dust. Available in: 12oz Aerosol

CHAIN WAX #1 SELLING CHAIN LUBE

Often imitated - Never duplicated. America's #1 chain lubricant. High-performance chain lubricant for X, Z and O-ring chains. Exclusive Parafilm™ formula sprays on as a liquid, penetrates and then sets up as a soft waxy film, creating an excellent lube that protects the chain from the elements. Outstanding rust & corrosion protectant. Will not fling-off or attract dirt. For street & off-road use.

Available In: 5.5oz & 13.5oz Aerosol