

# **RED LINE 5W20 MOTOR OIL**



- Recommended for Chrysler, Ford WSS-M2C945-A, Acura/Honda, Mazda and Scion
- Thicker oil film at operating temperature than a petroleum 5W30 or 10W30

#### **RECOMMENDED FOR:**

ILSAC GF-5	Ford	GM	Mopar	Honda/Acura	
API SN/SM/SL/CF	WSS-M2C153-H	19264714	04761851PA	08798-9032	
ACEA A5/B5	WSS-M2C925-A	19264715	04761872MB	08798-9038	
AC Delco 88863951 88863952	WSS-M2C930-A	19264716	04761872PB	<b>Mazda</b> 0000-77-5W20-QT	
	WSS-M2C945-A	9986202-2000	05166240PA		
	XO-5W20-5QSP	dexos1®	68079549MB	0000-77-3W20-Q1	
	XO-5W20-QFS		68169968PA	Toyota	
		dexos is a registered trademark owned by General Motors Corp.	MS-6395L, M	00279-1QT20-01	

### **TYPICAL PROPERTIES:**

ACEA Service Class	A5 B5
API Service Class	SN/SM/SL/CF
SAE Viscosity Grade (Motor Oil)	5W20
Vis @ 100°C, cSt	9.0
Vis @ 40°C, cSt	53
Viscosity Index	147
CCS Viscosity, Poise, @ °C	60@-30
Pour Point, °C	-45
Pour Point, °F	-49
NOACK Evaporation Loss,1hr @ 482°F (250°C), %	8
HTHS Vis, cP @150°C, ASTM D4741	3.0

### **PACKAGE SIZES:**

15204 - 5W20 Motor Oil - quart 15205 - 5W20 Motor Oil - 1 gallon 15206 - 5W20 Motor Oil - 5 gallon 15208 - 5W20 Motor Oil - 55 gallon

## ABOUT RED LINE MOTOR OIL

- Full-synthetic ester formula for passenger cars, light trucks, performance vehicles and marine applications
- Excellent wear protection and friction reduction across a wide range of operating conditions
- High detergency allows extended drain intervals and provides increased cleanliness
- Improved fuel economy and ring seal for more power
- Superior high temperature stability and oxidation resistance increases lubrication of hot metal compared to other synthetics
- High natural viscosity index (VI) provides thicker oil film in bearings and cams
- Less evaporation than other synthetics for improved efficiency and ring seal
- All products are completely compatible with other conventional and synthetic motor oils

For health safety information, please refer to the Safety Data Sheet at REDLINEOIL.COM