

MAXFILM[®]

Maxfilm is a high film strength, multipurpose, synthetic lubricant / penetrant that excels in a wide array of applications. Maxfilm deeply penetrates, cleans and loosens rusted parts. Once applied, its solvent carrier evaporates and leaves a tenacious, thixotropic lubricating film on all metal surfaces, providing long-lasting protection against wear, rust and corrosion.

Maxfilm contains Royal Purple's proprietary Synerlec additive technology, which is proven to make equipment run smoother, cooler, quieter, longer and more efficiently. Maxfilm has a CO₂ propellant.

PERFORMANCE ADVANTAGES

- Greater wear protection
- Clean, efficient equipment
- Extended pump life
- Much longer fluid life
- Non-foaming
- Outstanding rust / corrosion protection
- High temperature service capability

MAXFILM IS RECOMMENDED FOR:

- Loosening stuck parts such as nuts, bolts, locks, hinges, etc.
- Lubrication of power tools, hinges, chains, rollers, open gears, fishing tackle, lawn equipment, etc.
- Preserving and protecting parts in storage, disassembled machinery parts, wire ropes, etc., against rust and corrosion
- Use as a manual cutting fluid to facilitate the ease of hand drilling, tapping, metal cutting, etc., of steel and aluminum



PENETRATING LUBRICANT

TYPICAL PROPERTIES*

Viscosity	
cSt @ 40°C	5.6
cSt @ 100°C	1.8
SUS @ 100°F	45.0
SUS @ 210°F	32.0
Aerosol Flash °F	200.0 min.

*Properties are typical and may vary.

PART NUMBERS

12x11-Oz. Case	15000
11-Oz. Can*	05000
12x4-Oz. Case	12035
4-Oz. Can*	10035

*AVAILABLE IN CASES ONLY