

PRODUCT INFORMATION



VALVOLINE™ DEXRON®-VI/MERCON® LV FULL SYNTHETIC AUTOMATIC TRANSMISSION FLUID

Valvoline DEXRON-VI/Mercon LV Full Synthetic Automatic Transmission Fluid (ATF) is formulated with premium synthetic base stocks and advanced additive technology. It is officially licensed, and General Motors approved for the GM DEXRON-VI specification* and recommended for use in Ford Mercon LV* applications. **DEXRON-VI/Mercon LV ATF** is fully back-serviceable and can be used wherever DEXRON-II and/or DEXRON-III are recommended.

* DEXRON® is a registered trademark of General Motors Corporation.

* Mercon® is a registered trademark of Ford Motor Company.

The Valvoline DEXRON-VI/Mercon LV Automatic Transmission Fluid Advantages:

- Developed with anti-wear technology to help improve transmission durability
- Enhanced anti-shudder protection for smooth shifting and maximum power transfer
- Formulated with advanced additives to resist fluid breakdown at high temperatures

Recommended for the following applications:

DEXRON-VI	DEXRON-II
DEXRON-III	Mercon LV

Typical Properties:

	ATF
KV100 (cSt)	6.0
KV40 (cSt)	29.5
Viscosity Index	155
Pour Point (°C)	-48
Brookfield Viscosity @ -40°C, cP	12,500
Density @ 15°C, g/cm ³	0.848
Appearance	Red
Phosphorus, ppm	160

Effective Date: 8/17/20

Author: LK