PRODUCT INFORMATION



VALVOLINE ATF + 4[™] TRANSMISSION FLUID

Valvoline ATF + 4 Transmission Fluid is a uniquely blended automatic transmission fluid that meets Chrysler Material Standard MS-9602. It is designed as a factory fill fluid for all 1998 and later Chrysler Corporation automatic transmissions and transaxles. It is fully compatible with all transmissions that require Mopar ATF +[®], Mopar ATF+2[™] and Mopar ATF+3[™]. Valvoline ATF + 4 is for use in all applications specifying Mopar ATF+4 or Type MS-9602 fluid.

The Valvoline ATF + 4[™] Transmission Fluid Advantages:

- Longer Life: Improved thermal stability for longer fluid life.
- Better Viscosity Stability: Improved viscosity stability for consistent transmission operation.
- Frictional Enhancement: Specific frictional properties for smooth clutch engagement.
- **Corrosion & Wear Protection:** Contains special additives to prevent rust corrosion and wear for longer life.
- Foaming Protection: Contains additive to reduce foaming.

Meets and Recommended Applications:

| Mopar ATF+ MS 7176 [®] | | |
|----------------------------------|--|--|
| Mopar ATF+2 [®] MS 7176 | | |
| Mopar ATF+3™ | | |
| Mopar ATF+4™ | | |

| Typical Properties: | ATF+4 |
|---------------------------------|--------|
| KV100 | 7.5 |
| KV40 | 34 |
| Viscosity Index | 198 |
| Density, kg/m ³ | 0.8506 |
| Pour Point, C, max. | -48 |
| Calcium, ppm | 690 |
| Phosphorus, ppm | 430 |
| Boron, ppm | 120 |
| Brookfield Viscosity @ -40C, cP | 9,000 |
| Flash Point, COC, C | 196 |

